

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.283

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.283](#)
- Manufacturer: [REDDING](#)
- Product no.: 749002000
- Mfr. No.: 73283
- Diameter (in): .283
- Delivery weight: 0.032kg
- Shipping height: 8mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732836

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.283
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.283

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.283. This guide provides essential safety instructions to ensure the safe use of this product. Please read the following information carefully to understand how to handle, install, and dispose of the product safely.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this guide.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the bushings.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the bushings for signs of wear or damage before each use.
- Follow all local regulations regarding the use and disposal of metal products.

Specific Safety Precautions for Use

• Handling:

- Handle the bushings with care to avoid dropping or damaging them.
- Do not apply excessive force when inserting or removing the bushings from the sizing die.

• Installation:

- Ensure that the sizing die is clean and free from debris before installation.
- Follow the manufacturer's instructions for proper installation of the bushings.

• Usage:

- Use the bushings only within the specified sizing diameters (.185" to .368").
- Avoid using damaged or worn bushings, as they may lead to improper sizing and potential safety hazards.

• Storage:

- Store the bushings in a cool, dry place, away from direct sunlight.
- Keep the bushings in their original packaging or a protective case to prevent damage.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting the installation.
- Ensure that you are in a welllit and safe working environment.

2. Installation:

- Clean the sizing die thoroughly to remove any debris or residue.

- Select the appropriate bushing size based on your needs (refer to the part number for size identification).
- Insert the bushing into the sizing die, ensuring it is seated properly.
- Tighten any screws or fasteners to secure the bushing in place, as per the manufacturer's instructions.

3. Usage:

- Follow standard reloading procedures when using the bushings for sizing cases.
- Monitor the sizing process to ensure consistent results and check for any irregularities.

4. PostUsage:

- After use, clean the bushings to remove any residue or contaminants.
- Inspect the bushings for any signs of damage or wear before storing them.

Disposal Instructions

- Dispose of the bushings in accordance with local regulations regarding metal recycling.
- Do not discard the bushings in regular household waste.
- If the bushings are damaged or no longer usable, take them to a designated recycling facility.

Contact Information for Further Support

For any questions or concerns regarding the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.283, please consult the manufacturer's website or customer service for assistance. Ensure you have the product details and part number ready for reference.

By following these safety instructions, you can ensure a safe and effective experience with your STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.283. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk