

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.311

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.311](#)
- Manufacturer: [REDDING](#)
- Product no.: 749002006
- Mfr. No.: 73311
- Diameter (in): .311
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760733116

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.311
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.311

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.311. This guide provides essential safety instructions to ensure safe and effective use of this product. Please read this guide carefully before using the bushings to understand the safety precautions, installation, and disposal instructions.

General Safety Guidelines

To ensure your safety while using the STEEL NECK BUSHINGS, please adhere to the following guidelines:

- Ensure that the bushings are used only for their intended purpose.
- Always inspect the bushings for any visible signs of damage or wear before use.
- Keep the bushings out of reach of children and vulnerable individuals.
- Use protective gear, such as gloves and safety glasses, when handling the bushings.
- Do not use the bushings if they are damaged or if you suspect they may be unsafe.
- Report any unsafe product experiences or accidents to the appropriate authorities.

Specific Safety Precautions for Use

When using the STEEL NECK BUSHINGS, please follow these specific safety precautions:

- Always use the bushings within the specified sizing range of .185" to .368".
- Do not exceed the recommended sizing diameters, as this may lead to improper functioning or damage.
- Ensure that the bushings are properly aligned before use to avoid accidents.
- Avoid using excessive force during the sizing process to minimize the risk of injury or product failure.
- Keep the work area clean and free of distractions to maintain focus while using the bushings.

Instructions for Installation and Usage

Follow these steps for the safe installation and use of the STEEL NECK BUSHINGS:

1. Preparation:

- Gather all necessary tools and materials needed for the installation.
- Ensure that your workspace is clean and welllit.

2. Installation:

- Select the appropriate bushing size based on your requirements. Refer to the last three digits of the part number (#RD73XXX) for size identification.
- Carefully insert the bushing into the resizing die, ensuring it is properly seated.
- Confirm that the bushing is aligned correctly with the resizing mechanism.

3. Usage:

- Begin the resizing process by applying consistent and moderate pressure. Avoid using excessive force.
- Monitor the process closely to ensure that the bushing is functioning as intended.
- Once the resizing is complete, carefully remove the bushing and inspect it for any signs of wear or

damage.

Disposal Instructions

When the STEEL NECK BUSHINGS reach the end of their useful life, please dispose of them responsibly:

- Do not dispose of the bushings in regular household waste.
- Check with local regulations for proper disposal methods for metal products.
- Consider recycling the bushings if facilities are available in your area.

Contact Information for Further Support

For questions or concerns regarding the STEEL NECK BUSHINGS, please reach out to the designated contact point in your region. Ensure you have the product details ready for a more efficient inquiry.

By following these safety instructions, you can help ensure a safe and effective experience with your STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.311. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk