

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.259

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.259](#)
- Manufacturer: [REDDING](#)
- Product no.: 749002031
- Mfr. No.: 73259
- Diameter (in): .259
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732591

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.259
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.259

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.259. This guide provides essential safety instructions to ensure the safe use of this product. Please read the entire guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is resizing cases for ammunition reloading.
- Keep the bushings out of reach of children and vulnerable individuals to prevent accidental injury.
- Regularly inspect the bushings for any signs of wear or damage before use.
- Do not use the bushings if they are damaged or worn, as this may lead to improper resizing and potential safety hazards.
- Always wear appropriate safety gear, including safety glasses, when operating equipment that uses these bushings.

Specific Safety Precautions for Use

- Use the bushings only with compatible resizing equipment to avoid malfunction.
- Ensure that the bushing size matches the specifications of the cases being resized.
- Avoid excessive force when resizing, as this can lead to equipment failure or personal injury.
- Do not exceed the recommended sizing diameters of .185" to .368" to maintain safety and effectiveness.
- Store the bushings in a cool, dry place to prevent rust and degradation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and equipment before starting the installation.
- Ensure that your workspace is clean and free from distractions.

2. Installation:

- Insert the bushing into the resizing die according to the manufacturer's instructions.
- Secure the bushing in place, ensuring it is tightly fitted to prevent movement during use.

3. Usage:

- Place the case to be resized into the resizing die.
- Operate the resizing equipment smoothly and steadily, applying consistent pressure.
- Monitor the resizing process closely to ensure proper operation and to identify any issues promptly.

4. Postusage:

- Remove the bushing from the resizing die after use.
- Clean the bushing with a soft cloth to remove any debris or residue.

- Inspect the bushing for any signs of wear or damage before storing.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local waste disposal regulations.
- Do not throw bushings in regular household waste. Instead, check for recycling programs in your area that accept metal products.

Contact Information for Further Support

For any questions or concerns regarding the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.259, please refer to the manufacturer's contact information provided on the packaging or product documentation.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk