

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.265

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.265](#)
- Manufacturer: [REDDING](#)
- Product no.: 749002033
- Mfr. No.: 73265
- Diameter (in): .265
- Delivery weight: 0.032kg
- Shipping height: 8mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732652

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.265
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.265

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.265. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this document carefully before using the bushings to understand the potential hazards and how to avoid them.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to resize brass cases for reloading ammunition.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling or using the bushings.
- Keep the bushings out of reach of children and unauthorized users.
- Regularly inspect the bushings for signs of wear or damage before each use. Do not use damaged bushings.
- Store the bushings in a cool, dry place to prevent rust and degradation of materials.

Specific Safety Precautions for Use

- Use the bushings only with compatible reloading equipment. Refer to the manufacturer's specifications for compatibility.
- Do not exceed the recommended sizing diameters. Using bushings outside the specified range may lead to equipment failure or personal injury.
- Ensure that the reloading press is securely mounted and stable before use to prevent accidents.
- Avoid direct contact with the bushing's polished surface to maintain its integrity and performance.
- Do not attempt to modify the bushings in any way, as this may compromise safety and effectiveness.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials, including the bushing, reloading press, and brass cases.
- Ensure your work area is clean and organized to minimize distractions and hazards.

2. Installation:

- Insert the bushing into the appropriate die of the reloading press, ensuring it is seated correctly.
- Tighten any locking mechanisms according to the manufacturer's instructions to secure the bushing in place.

3. Usage:

- Place the brass case into the shell holder of the reloading press.
- Activate the press to resize the brass case using the bushing. Apply steady and even pressure.
- After resizing, inspect the brass case for proper sizing and any signs of damage.
- Remove the bushing from the die after completion of the resizing process and store it safely.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations regarding metal waste.
- Do not throw bushings in regular household trash. Instead, recycle them if possible or take them to a designated recycling facility.

Contact Information for Further Support

For any questions or concerns regarding the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.265, please refer to the manufacturer's contact information provided with the product packaging or on the official website.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.265. Always prioritize safety and remain informed about best practices for reloading and equipment use. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk