

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.290

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.290](#)
- Manufacturer: [REDDING](#)
- Product no.: 749002037
- Mfr. No.: 73290
- Diameter (in): .290
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 149mm
- UPC: 611760732904

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.290
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.290

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.290. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this document thoroughly before using the bushings to understand the safety measures and proper handling procedures.

General Safety Guidelines

- Ensure that the bushings are used in accordance with the manufacturer's specifications.
- Always inspect the bushings for any signs of damage or wear before use.
- Use appropriate personal protective equipment (PPE) such as safety glasses and gloves during handling and installation.
- Keep the bushings out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities immediately.
- Stay informed about any recall updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Potential Hazards:

- Sharp edges: The bushings may have sharp edges that can cause cuts.
- Misuse: Incorrect sizing or installation may lead to equipment failure or accidents.

• Avoiding Hazards:

- Handle the bushings carefully to avoid cuts from sharp edges.
- Ensure the correct bushing size is selected for your application by checking the last three digits of the part number (#RD73XXX).
- Do not exceed the recommended sizing diameters to prevent equipment malfunction.

• Age Specific Warnings:

- This product is not intended for use by children. Ensure that it is stored securely away from their reach.

Instructions for Installation and Usage

• Installation:

1. Gather all necessary tools for installation, ensuring they are in good working condition.
2. Select the appropriate bushing size based on your needs, referring to the part number.
3. Carefully clean the installation area to ensure a proper fit.
4. Gently insert the bushing into the designated area, ensuring it is aligned correctly.
5. Follow any specific installation instructions provided by your equipment's manufacturer.

• Usage:

- After installation, ensure that the bushing is securely in place before operating any machinery.
- Regularly check the bushing for signs of wear or damage during use.
- If any issues are detected, cease use immediately and replace the bushing.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of bushings in regular household waste if they are considered hazardous.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any inquiries regarding the safety and use of the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.290, please refer to the manufacturer's contact details provided in the product packaging or visit their official website for more information.

Thank you for your attention to these safety instructions. Following these guidelines will help ensure your safety and the safe operation of your equipment.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk