

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.245

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.245](#)
- Manufacturer: [REDDING](#)
- Product no.: 749002045
- Mfr. No.: 73245
- Diameter (in): .245
- Delivery weight: 0.032kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732454

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.245
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.245

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.245. This guide provides essential safety instructions to ensure the safe use and handling of the product. Please read this document carefully before using the bushings to prevent any risks or hazards.

General Safety Guidelines

- Ensure that the product is used for its intended purpose only.
- Always handle the bushings with care to avoid injury.
- Keep the bushings out of reach of children and vulnerable individuals.
- Regularly inspect the bushings for signs of wear or damage before use.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Use appropriate personal protective equipment (PPE) such as gloves and safety glasses when handling the bushings.
- Avoid using the bushings in conditions that exceed the specified temperature and pressure limits.
- Do not modify or alter the bushings in any way, as this may compromise their safety and performance.
- Ensure that the bushings are compatible with the equipment they are used with to prevent accidents.
- If you experience any unusual noise or performance issues while using the bushings, stop using them immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation

- Ensure that the working area is clean and free of obstructions.
- Gather all necessary tools and equipment before starting the installation.

2. Installation Steps

- Carefully remove the bushings from their packaging.
- Inspect the bushings for any visible defects or damage.
- Follow the manufacturer's specifications for the correct installation procedure.
- Securely install the bushings in the designated equipment, ensuring a proper fit.

3. Usage Instructions

- Use the bushings only within the specified size range of .185" to .368".
- Monitor the performance of the bushings during use and check for any signs of wear.
- Follow any additional instructions provided by the equipment manufacturer regarding the use of bushings.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of bushings in regular household waste; instead, use designated recycling or hazardous waste facilities.
- Ensure that any packaging materials are also disposed of responsibly.

Contact Information for Further Support

For any inquiries or concerns regarding the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.245, please refer to the manufacturer's website or customer support resources.

By following these safety instructions, you contribute to a safer working environment and ensure the longevity and effectiveness of the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.245. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk