

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.246

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.246](#)
- Manufacturer: [REDDING](#)
- Product no.: 749002046
- Mfr. No.: 73246
- Diameter (in): .246
- Delivery weight: 0.032kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732461

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.246
- About Us

Safety Instruction Guide for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.246

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.246. This guide provides essential safety instructions to ensure the safe use of this product. Please read this document carefully before using the bushings to understand the potential hazards and how to mitigate them.

General Safety Guidelines

- Ensure that all users are familiar with the product and its intended use.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when handling the bushings.
- Keep the bushings out of reach of children and vulnerable individuals.
- Regularly inspect the bushings for any signs of wear or damage before use.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

• Hazard Identification:

- The bushings are made of heat treated steel, which can have sharp edges.
- Improper handling may lead to cuts or injuries.
- Ensure that the sizing diameters are not damaged during use to prevent malfunction.

• Avoiding Hazards:

- Always handle the bushings with care to avoid injury.
- Do not attempt to modify or alter the bushings in any way.
- Ensure that the bushings are used only for their intended purpose as specified by the manufacturer.

• Age Specific Warnings:

- This product is not intended for use by children. Ensure that it is stored safely and securely.

Instructions for Installation and Usage

• Installation:

- Before installation, ensure that the work area is clean and free from hazards.
- Select the appropriate bushing size based on the last three digits of the part number (#RD73XXX).
- Align the bushing properly with the corresponding equipment to ensure a secure fit.
- Use appropriate tools to secure the bushing in place, following the manufacturer's guidelines.

• Usage:

- Use the bushings only as specified. The sizing diameters range from .185" to .368" in .001" increments.
- Monitor the bushings during operation for any signs of wear or malfunction.

- If any issues arise, cease use immediately and consult the manufacturer or a qualified technician.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not discard bushings in regular household waste. Instead, recycle where facilities exist.
- Ensure that all components are disposed of safely to prevent environmental harm.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.246, please refer to the manufacturer's contact information provided with the product packaging.

Conclusion

By following these safety instructions, you can ensure a safe and effective use of the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.246. Always prioritize safety and report any unsafe conditions promptly. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk