

STEEL NECK BUSHINGS - REDDING 73 STYLE STEEL BUSHING/.292

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings. The sizing diameters are hand polished with a surface hardness of Rc 60-62 to reduce sizing effort. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD73XXX) denotes bushing size. View other sizes: .185" to .250" .251" to .305" .306 to .368"



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING 73 STYLE STEEL BUSHING/.292](#)
- Manufacturer: [REDDING](#)
- Product no.: 749002054
- Mfr. No.: 73292
- Diameter (in): .292
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760732928

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instructions for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.292
- About Us

Safety Instructions for STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.292

Introduction

Thank you for choosing the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.292. This guide provides important safety instructions to ensure the safe use of this product. Please read this document carefully before using the bushings to understand how to use them safely and effectively.

General Safety Guidelines

- Ensure that the product is used solely for its intended purpose.
- Always inspect the bushings for any visible damage or defects before use.
- Keep the bushings out of reach of children and vulnerable individuals.
- Use personal protective equipment (PPE) such as safety glasses and gloves when handling the bushings.
- Store the bushings in a dry and secure location to prevent damage or accidents.
- Report any unsafe conditions or incidents involving the bushings to the appropriate authorities.

Specific Safety Precautions for Use

- Do not exceed the recommended sizing diameters while using the bushings.
- Avoid using the bushings in environments with extreme temperatures or humidity.
- Ensure that all tools and equipment used in conjunction with the bushings are in good working condition.
- Do not modify the bushings in any way, as this may compromise their integrity and safety.
- If you experience any difficulties while using the bushings, stop and consult a professional for assistance.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and equipment before beginning the installation process.
- Ensure that you are working in a clean and welllit environment.

2. Installation:

- Select the appropriate bushing size based on the last three digits of the part number (#RD73XXX).
- Carefully insert the bushing into the designated area of your equipment, ensuring a snug fit.
- Check that the bushing is properly seated and aligned before proceeding.

3. Usage:

- Follow the manufacturer's instructions for operating the equipment using the bushings.
- Monitor the performance of the bushings during use and stop immediately if you notice any irregularities.
- After use, clean the bushings to remove any debris or residue.

Disposal Instructions

- Dispose of the bushings in accordance with local regulations and guidelines.
- Do not dispose of the bushings in regular household waste if they are damaged or contain hazardous materials.
- Consider recycling the bushings if possible, as this can help reduce environmental impact.

Contact Information for Further Support

For any inquiries or concerns regarding the STEEL NECK BUSHINGS REDDING 73 STYLE STEEL BUSHING/.292, please contact the manufacturer or visit their official website for additional resources and support.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk