

LOCK-N-LOAD PRESS CONVERSION & BUSHINGS - LOCK-N-LOAD DIE BUSHINGS 3/PACK

[Reloading](#) > [Reloading Presses](#) > [Single Stage Presses](#)

Maximize your reloading time with the Lock-N-Load quick change bushing system. The Lock-N-Load reloading system is a patented quick change bushing system that lets you change dies with a simple flick of the wrist. With Lock-N-Load technology in your reloading press, you can stop loading, change dies and start loading another caliber in SECONDS.



Attributes

- Name: [LOCK-N-LOAD DIE BUSHINGS 3/PACK](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749002177
- Mfr. No.: 044093
- Delivery weight: 0.091kg
- Shipping height: 36mm
- Shipping width: 97mm
- Shipping length: 155mm
- UPC: 090255440935

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [LOCKNLOAD PRESS CONVERSION & BUSHINGS USER MANUAL](#)
- [About Us](#)

LOCKNLOAD PRESS CONVERSION & BUSHINGS USER MANUAL

Introduction

Thank you for choosing the LOCKNLOAD PRESS CONVERSION & BUSHINGS. This product is designed to enhance your reloading experience by providing a quick change bushing system. To ensure safe and effective use, please read this manual carefully and adhere to the safety guidelines and instructions provided.

General Safety Guidelines

- Ensure that the LOCKNLOAD PRESS is used in a wellventilated area, away from flammable materials.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when reloading.
- Keep the reloading area clean and free from clutter to prevent accidents.
- Store the product in a dry, cool place, away from children and pets.
- Regularly inspect the LOCKNLOAD components for wear or damage before use.
- Follow all local laws and regulations regarding ammunition reloading.

Specific Safety Precautions for Use

- Always ensure that the reloading press is securely mounted before use.
- Never exceed the recommended load specifications for your reloading dies.
- Do not attempt to modify or alter any components of the LOCKNLOAD system.
- When changing dies, ensure that the press is in the "safe" position to prevent accidental operation.
- Keep hands and loose clothing away from moving parts during operation.
- If you experience any malfunction or unusual operation, stop using the product immediately and consult the manufacturer.

Instructions for Installation and Usage

Installation

1. Mounting the Press:

- Securely attach the LOCKNLOAD PRESS to a stable workbench using the provided mounting hardware.
- Ensure that the press is level and does not wobble.

2. Installing the Bushings:

- Insert the LOCKNLOAD die bushings into the press according to the manufacturer's instructions.
- Ensure that the bushings are fully seated and locked in place before use.

Usage

1. Changing Dies:

- To change dies, simply flick the bushing release lever to disengage the current die.
- Replace with the desired die by aligning it with the bushing and pushing it into place until it clicks.

2. Reloading:

- Follow standard reloading procedures for your specific caliber.
- Always doublecheck powder measurements and bullet seating depths before loading.

3. PostUse:

- After reloading, clean the press and bushings to remove any residue.
- Store the LOCKNLOAD system in a safe location.

Disposal Instructions

- Dispose of any unused or damaged components in accordance with local regulations.
- Do not dispose of the LOCKNLOAD PRESS or its components in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For safety inquiries or additional support, please refer to the manufacturer's website or contact their customer service. Ensure you have your product details ready for a quicker response.

Thank you for your attention to these safety instructions. Enjoy your reloading experience with the LOCKNLOAD PRESS CONVERSION & BUSHINGS!

About Us

Brownells Switzerland

Brownells Switzerland

www.brownells.ch