

NECK SIZING BUSHINGS - L.E. WILSON STEEL NECK SIZER DIE BUSHING .252

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Hardened stainless steel neck bushing from L.E. Wilson. Wilson makes their bushings in .001" increments. The size marked on them refers to the middle of the bushing, which is reamed with a .003" taper. Since the case neck only reaches the middle, a slightly tighter sizing can be achieved by turning the bushing over, with the markings facing toward the case (markings facing down). This is mainly an emergency step to be taken if the brass has hardened, springing back more, and will no longer hold the bullet; or for fine-tuning the sizing to provide less additional "squeeze" than using the next smaller bushing in the normal way. Made to similar specs to the Redding neck bushings. Will not interchange with Forster or RCBS dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [L.E. WILSON STEEL NECK SIZER DIE BUSHING .252](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749002348
- Mfr. No.: B-252
- Diameter (in): .252
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 815145024428

Item details

Made in USA

Table of Contents

- Startpage
- NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .252 Safety Instructions
- About Us

NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .252 Safety Instructions

Introduction

Thank you for choosing the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .252. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this document carefully before using the bushing to understand the potential risks and how to mitigate them.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose of resizing brass necks in reloading applications.
- Always handle the bushing with care to avoid injury from sharp edges.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the bushing for any signs of damage or wear before use.
- If you notice any defects, do not use the bushing and contact a qualified professional for advice.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when using the bushing.
- Do not exceed the recommended sizing specifications to avoid damaging the brass or the bushing.
- When turning the bushing over for tighter sizing, ensure that it is securely positioned to prevent slipping during use.
- Avoid using excessive force when resizing to prevent personal injury and damage to the equipment.
- Be cautious of brass shavings and debris that may accumulate during the resizing process; clean the work area regularly.

Instructions for Installation and Usage

1. Preparation:

- Measure the outside neck diameter of your loaded cartridge.
- Subtract .002" to .003" from this measurement to determine the appropriate bushing size.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure the resizing die is clean and free from debris.
- Insert the NECK SIZING BUSHING into the resizing die, ensuring it is properly seated.
- If using the bushing in reverse for tighter sizing, confirm that the markings are facing down towards the case.

3. Usage:

- Place the brass case into the resizing die.
- Slowly and steadily apply pressure to resize the neck of the brass.
- Monitor the process closely to ensure that the bushing is functioning correctly and that the case is being resized uniformly.

4. PostUsage:

- Once resizing is complete, carefully remove the brass case from the die.
- Inspect the resized neck for proper tension and fit.
- Clean the bushing after each use to maintain its integrity and performance.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of the bushing in regular household waste if it is contaminated with materials that require special handling.
- Always check with local authorities for proper disposal methods for metal products.

Contact Information for Further Support

For any inquiries regarding the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .252, please reach out to the appropriate support channels available in your region. Ensure that you have the product details on hand for a more efficient response.

By following these safety instructions, you can ensure a safe and effective reloading experience. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk