

NECK SIZING BUSHINGS - L.E. WILSON STEEL NECK SIZER DIE BUSHING .288

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Hardened stainless steel neck bushing from L.E. Wilson. Wilson makes their bushings in .001" increments. The size marked on them refers to the middle of the bushing, which is reamed with a .003" taper. Since the case neck only reaches the middle, a slightly tighter sizing can be achieved by turning the bushing over, with the markings facing toward the case (markings facing down). This is mainly an emergency step to be taken if the brass has hardened, springing back more, and will no longer hold the bullet; or for fine-tuning the sizing to provide less additional "squeeze" than using the next smaller bushing in the normal way. Made to similar specs to the Redding neck bushings. Will not interchange with Forster or RCBS dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [L.E. WILSON STEEL NECK SIZER DIE BUSHING .288](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749002400
- Mfr. No.: B-288
- Diameter (in): .288
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 815145024787

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .288 Safety Instructions](#)
- [About Us](#)

NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .288 Safety Instructions

Introduction

Thank you for choosing the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .288. This product is designed for precision reloading and should be used with care to ensure safety and optimal performance. Please read this safety instruction guide thoroughly before using the product.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always handle reloading equipment with care and keep it out of reach of children.
- Use protective eyewear when using this product to safeguard against any potential hazards.
- Be aware of your surroundings and ensure that the reloading area is clear of obstructions and distractions.
- Report any unsafe products or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Potential Hazards:

- Improper sizing may lead to unsafe neck tension, which could result in bullet setback or misfires.
- Overtightening or incorrect use of the bushing may cause damage to your equipment or personal injury.

• Avoiding Hazards:

- Always measure the outside neck diameter of your loaded cartridge before selecting the appropriate bushing size.
- Ensure that the bushing is properly installed and secured before use.
- Do not exceed the recommended sizing increments as specified by the manufacturer.
- If the brass has hardened, use the bushing in the reverse position only as an emergency measure.

Instructions for Installation and Usage

1. Selecting the Right Bushing:

- Measure the outside neck diameter of your loaded cartridge.
- Subtract .002" to .003" from this measurement to determine the appropriate bushing size.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installation:

- Ensure that your reloading press is clean and free of debris.
- Insert the selected bushing into the die according to the manufacturer's instructions.
- Secure the bushing firmly, ensuring it is properly aligned.

3. Usage:

- Place the case into the die and apply consistent pressure to size the neck.

- Monitor the sizing process closely to avoid oversizing or damaging the case.
- If necessary, turn the bushing over to achieve a slightly tighter sizing, but only if the brass has hardened.

4. PostUse Care:

- Clean the bushing after use to prevent corrosion or buildup of debris.
- Store the bushing in a dry, safe place when not in use.

Disposal Instructions

- Dispose of any used or damaged bushings in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, consider recycling options where applicable.

Contact Information for Further Support

For any questions or concerns regarding the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .288, please refer to the manufacturer's website or customer service resources. Ensure you have your product details on hand when seeking assistance.

By following these safety instructions, you can ensure a safe and effective reloading experience with your NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .288. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk