

NECK SIZING BUSHINGS - L.E. WILSON STEEL NECK SIZER DIE BUSHING .327

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Hardened stainless steel neck bushing from L.E. Wilson. Wilson makes their bushings in .001" increments. The size marked on them refers to the middle of the bushing, which is reamed with a .003" taper. Since the case neck only reaches the middle, a slightly tighter sizing can be achieved by turning the bushing over, with the markings facing toward the case (markings facing down). This is mainly an emergency step to be taken if the brass has hardened, springing back more, and will no longer hold the bullet; or for fine-tuning the sizing to provide less additional "squeeze" than using the next smaller bushing in the normal way. Made to similar specs to the Redding neck bushings. Will not interchange with Forster or RCBS dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [L.E. WILSON STEEL NECK SIZER DIE BUSHING .327](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749002430
- Mfr. No.: B-327
- Diameter (in): .327
- Delivery weight: 0.032kg
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 815145025173

Item details

Made in USA

Table of Contents

- Startpage
- NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .327 Safety Instructions
- About Us

NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .327 Safety Instructions

Introduction

Thank you for choosing the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .327. This product is designed to assist in the precise sizing of cartridge necks for reloading purposes. To ensure safe and effective use, please read this safety instruction guide carefully. It provides essential information on safety guidelines, precautions, installation, usage, and disposal.

General Safety Guidelines

- Always use this product in accordance with the manufacturer's instructions to avoid accidents or injury.
- Inspect the bushing for any signs of damage or wear before each use. Do not use if damaged.
- Keep the bushing out of reach of children and pets to prevent accidental injury.
- Ensure that your workspace is clean and organized to minimize the risk of accidents.
- Use appropriate personal protective equipment (PPE) such as safety glasses when handling reloading equipment.

Specific Safety Precautions for Use

- **Proper Measurement:** Before using the neck bushing, measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This ensures proper neck tension.
- **Turning the Bushing:** If the brass has hardened and does not hold the bullet properly, you may turn the bushing over (markings facing down) for a tighter fit. Use this method only as an emergency measure.
- **Compatibility:** This bushing is designed to work specifically with L.E. Wilson dies. Do not attempt to use it with Forster or RCBS dies as it may lead to improper sizing or damage.
- **Brass Handling:** Handle brass with care, as it can become brittle over time. Ensure that the brass is properly sized to avoid excessive spring back.
- **Storage:** Store the bushing in a dry, cool place to prevent rust and damage. Avoid exposure to moisture.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials including the neck bushing, reloading die, and measuring tools.
- Ensure that your workspace is clean and free from distractions.

2. Measuring the Cartridge:

- Measure the outside neck diameter of your loaded cartridge.
- Subtract .002" to .003" from this measurement to determine the correct bushing size.

3. Installing the Bushing:

- Insert the neck bushing into the resizing die according to the manufacturer's instructions.
- Ensure that it is seated properly and securely.

4. Reloading Process:

- Place the case in the reloading press and follow the normal reloading procedures.
- Apply consistent pressure to ensure uniform sizing of the neck.

5. PostUse Care:

- After use, clean the bushing to remove any debris or residue.
- Store the bushing in its original packaging or a protective case.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of the product in regular household waste if it contains hazardous materials. Check with local waste management for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or additional information regarding the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .327, please refer to the manufacturer's contact information provided in the product packaging or user manual.

By following these safety instructions, you can ensure a safe and effective reloading experience with the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .327. Always prioritize safety and adhere to best practices when handling reloading equipment.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk