

NECK SIZING BUSHINGS - L.E. WILSON STEEL NECK SIZER DIE BUSHING .336

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Hardened stainless steel neck bushing from L.E. Wilson. Wilson makes their bushings in .001" increments. The size marked on them refers to the middle of the bushing, which is reamed with a .003" taper. Since the case neck only reaches the middle, a slightly tighter sizing can be achieved by turning the bushing over, with the markings facing toward the case (markings facing down). This is mainly an emergency step to be taken if the brass has hardened, springing back more, and will no longer hold the bullet; or for fine-tuning the sizing to provide less additional "squeeze" than using the next smaller bushing in the normal way. Made to similar specs to the Redding neck bushings. Will not interchange with Forster or RCBS dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [L.E. WILSON STEEL NECK SIZER DIE BUSHING .336](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749002443
- Mfr. No.: B-336
- Diameter (in): .336
- Delivery weight: 0.032kg
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 815145025265

Item details

Made in USA

Table of Contents

- Startpage
- NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .336 Safety Instructions
- About Us

NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .336 Safety Instructions

Introduction

Thank you for purchasing the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .336. This product is designed for precision neck sizing of cartridge cases. To ensure your safety and the effective use of this product, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that you understand the function and use of the neck sizing bushing before attempting to use it.
- Always wear appropriate safety gear, such as safety glasses and gloves, when handling and using this product.
- Keep the product out of reach of children and vulnerable individuals to prevent misuse or accidents.
- Regularly inspect the neck bushing for any signs of wear or damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding the use of reloading equipment and materials.

Specific Safety Precautions for Use

- Use the neck sizing bushing only with compatible dies. This product is not interchangeable with Forster or RCBS dies.
- When adjusting the bushing, ensure that it is securely fitted to prevent it from detaching during use.
- If the brass has hardened or is difficult to size, consider turning the bushing over with the markings facing down for tighter sizing. This should be done only in emergency situations.
- Avoid forcing the bushing if you encounter resistance; this could lead to damage to the bushing or the case.
- Always ensure that the area where you are working is clean and free from any obstructions or distractions.

Instructions for Installation and Usage

1. Measuring for the Correct Bushing Size:

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This will allow for approximately .001" of brass to spring back for correct neck tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installing the Neck Bushing:

- Ensure your reloading press is set up correctly and that all safety precautions are in place.
- Insert the neck sizing bushing into the die according to the manufacturer's instructions.
- Tighten the bushing securely in place to prevent movement during operation.

3. Using the Neck Bushing:

- Place the cartridge case into the die and apply pressure to size the neck.
- If using the bushing upside down, ensure it is properly seated and that the markings are facing down.
- Inspect the sized case to ensure it meets the desired specifications before proceeding with further reloading steps.

4. Post Use:

- Clean the neck bushing after use to prevent buildup of debris or brass shavings.
- Store the neck bushing in a safe, dry place away from moisture and direct sunlight.

Disposal Instructions

- Dispose of any damaged or worn neck bushings in accordance with local regulations for metal disposal.
- Do not discard in regular household waste. Check with local recycling facilities for proper disposal methods.

Contact Information for Further Support

For safety inquiries or further assistance regarding the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .336, please refer to the manufacturer's website or customer service.

By adhering to these safety instructions, you can ensure a safe and effective experience with your NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .336. Always prioritize safety and follow best practices for reloading equipment. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk