

NECK SIZING BUSHINGS - L.E. WILSON STEEL NECK SIZER DIE BUSHING .243

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Hardened stainless steel neck bushing from L.E. Wilson. Wilson makes their bushings in .001" increments. The size marked on them refers to the middle of the bushing, which is reamed with a .003" taper. Since the case neck only reaches the middle, a slightly tighter sizing can be achieved by turning the bushing over, with the markings facing toward the case (markings facing down). This is mainly an emergency step to be taken if the brass has hardened, springing back more, and will no longer hold the bullet; or for fine-tuning the sizing to provide less additional "squeeze" than using the next smaller bushing in the normal way. Made to similar specs to the Redding neck bushings. Will not interchange with Forster or RCBS dies. Brownells Gun Tech™ Tip: There are two ways to select the steel neck bushings you need: (1) Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003". This allows approximately .001" of brass to spring back for correct neck tension. (2) You can also measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet and subtract .002" to .003".



Attributes

- Name: [L.E. WILSON STEEL NECK SIZER DIE BUSHING .243](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749002463
- Mfr. No.: B-243
- Diameter (in): .243
- Delivery weight: 0.032kg
- Shipping height: 1mm
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 787945041670

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .243 Safety Instruction Guide](#)
- [About Us](#)

NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .243 Safety Instruction Guide

Introduction

Thank you for choosing the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .243. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this guide thoroughly before using the product to understand how to handle and operate it safely.

General Safety Guidelines

- Ensure safe use of the neck sizing bushing by following all instructions provided in this guide.
- Be aware of potential risks associated with improper use of the neck sizing bushing.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check for any recalls or safety updates related to this product on the EU's Safety Gate platform.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when using the neck sizing bushing to prevent injury from brass shavings or debris.
- Handle the neck sizing bushing with care to avoid personal injury.
- Ensure that the bushing is securely attached to the die before use.
- Do not exceed the recommended specifications for the neck sizing bushing to prevent damage to your equipment or injury.
- If you notice any signs of wear or damage to the bushing, discontinue use immediately and replace it.

Instructions for Installation and Usage

1. Selecting the Correct Bushing Size

- Measure the outside neck diameter of your loaded cartridge and subtract .002" to .003" for proper neck tension.
- Alternatively, measure the neck wall thickness of your case, multiply by two, add the diameter of your bullet, and subtract .002" to .003".

2. Installing the Bushing

- Ensure the die is clean and free of debris.
- Carefully insert the neck sizing bushing into the die, ensuring it is seated properly.
- Confirm that the markings on the bushing are facing the appropriate direction for your intended use.

3. Using the Bushing

- Insert the case into the die and apply pressure to size the neck.
- If necessary, you can turn the bushing over for a tighter sizing, with the markings facing down towards the case.
- Monitor the sizing process to ensure that the case neck is being sized correctly without excessive force.

4. PostUse Care

- After use, remove the bushing from the die and clean it to remove any brass debris.
- Store the bushing in a safe, dry location to prevent damage.

Disposal Instructions

- Dispose of any worn or damaged bushings in accordance with local waste disposal regulations.
- Do not dispose of the bushing in regular household waste if it is deemed hazardous.

Contact Information for Further Support

For any inquiries or further assistance regarding the NECK SIZING BUSHINGS L.E. WILSON STEEL NECK SIZER DIE BUSHING .243, please contact your local distributor or retailer.

By following these safety instructions, you can ensure a safe and effective experience with your neck sizing bushing. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk