

LOCK-N-LOAD BULLET COMPARATOR BODY - HORNADY LOCK-N-LOAD BULLET COMPARATOR BODY

[Reloading](#) > [Measuring Tools](#) > [Bullet Comparators](#)

The Stoney Point Chamber-All Bullet Comparator body attaches to the blade of your caliper with a small thumbscrew and utilizes inserts for each caliber. The design of this tool allows proper alignment when used with the stoney Point Chamber-All OAL gauge (offset position), or it can be used in a conventional centerline method. Inserts are sold separately, or the tool can be purchased with six inserts as a kit. The body can also be used with to hold the Stoney Point headspace gage inserts.



Attributes

- Name: [HORNADY LOCK-N-LOAD BULLET COMPARATOR BODY](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749002627
- Mfr. No.: B2000
- Caliber: Universal
- Delivery weight: 0.032kg
- Shipping height: 25mm
- Shipping width: 43mm
- Shipping length: 142mm
- UPC: 090255704082

Item details

Made in USA

Table of Contents

- Startpage
- LOCKNLOAD BULLET COMPARATOR BODY Safety Instruction Guide
- About Us

LOCKNLOAD BULLET COMPARATOR BODY Safety Instruction Guide

Introduction

Thank you for choosing the LOCKNLOAD BULLET COMPARATOR BODY by Hornady. This product is designed to enhance your reloading experience by providing accurate measurements. Please read this safety instruction guide carefully to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle the comparator body with care to avoid injury.
- Keep the comparator and its inserts out of reach of children.
- Regularly inspect the product for any signs of damage or wear.
- If you notice any defects, discontinue use immediately and contact the manufacturer.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always use the comparator in a welllit and clean environment.
- Ensure that your caliper is calibrated correctly before using the comparator.
- Do not use excessive force when attaching or detaching the comparator body from the caliper.
- When using inserts, ensure they are securely fitted to prevent accidents.
- Avoid using the comparator with incompatible inserts or tools.
- Be cautious of sharp edges on the caliper and comparator body.

Instructions for Installation and Usage

1. Installation of the Comparator Body:

- Locate the thumbscrew on the comparator body.
- Align the comparator body with the blade of your caliper.
- Secure the comparator body in place by tightening the thumbscrew gently.

2. Using the Comparator with Inserts:

- Select the appropriate insert for your caliber.
- Insert the chosen insert into the comparator body until it is firmly seated.
- Ensure the insert is properly aligned before taking measurements.

3. Measuring with the Comparator:

- Position the comparator against the bullet or cartridge you wish to measure.
- Read the measurement on the caliper display.
- Record the measurement if necessary for your reloading process.

4. Using the Comparator with the OAL Gauge:

- Attach the comparator body to the OAL gauge as per the manufacturer's instructions.
- Follow the same measurement process as described above.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- If the product is damaged beyond repair, consider recycling components where possible.

Contact Information for Further Support

For any safety inquiries or further support regarding the LOCKNLOAD BULLET COMPARATOR BODY, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for prioritizing safety and compliance while using the LOCKNLOAD BULLET COMPARATOR BODY. For a safer reloading experience, always follow these guidelines and instructions.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz