

# SINCLAIR O-RING ROD GUIDES FOR 25 TO 280 CAL - SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 25-280 CALIBER, 0.740" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action in place of your bolt or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber. Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.



## Attributes

- Name: [SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 25-280 CALIBER, 0.740" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002837
- Mfr. No.: 003-740-280
- Action Fit: Steyr SSG, Witchita Classic, Stiller TAC 338, Steyr Mannlicher, GA Precision (338 Lapua), Hall Express, Sako TRG-S
- Bolt Diameter: .740
- Cartridge: 250 Savage, 6.5 x 55 mm Swedish Mauser, 7 mm - 08 Remington, 257 Roberts, 280 Remington, 25-06 Remington, 260 Remington
- Delivery weight: 0.091kg

## Item details

Made in USA

# Table of Contents

- Startpage
- Sinclair ORing Rod Guides Safety Instruction Guide
- About Us

# Sinclair ORing Rod Guides Safety Instruction Guide

## Introduction

Thank you for choosing the Sinclair ORing Rod Guides for your firearm cleaning needs. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. It is important to follow these instructions carefully to avoid any potential hazards associated with its use.

## General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always handle firearms safely and responsibly.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Before inserting the rod guide, ensure the firearm is completely unloaded.
- Always follow the manufacturer's instructions for the specific firearm model.
- Use appropriate cleaning solvents that are compatible with your firearm and the rod guide.
- Avoid using the rod guide if it shows signs of damage or wear.
- Do not force the rod guide into the chamber; it should fit snugly without excessive pressure.
- If you experience any resistance while using the rod guide, stop and inspect for any obstructions.
- Always wear appropriate personal protective equipment (PPE) when cleaning firearms, such as gloves and safety glasses.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather all necessary cleaning supplies, including the Sinclair ORing Rod Guide.

### 2. Installation:

- Remove the bolt or bolt carrier from the firearm action.
- Insert the Sinclair ORing Rod Guide into the chamber until it is seated properly.
- Ensure the silicone "O"ring creates a seal to prevent solvent leakage.

### 3. Usage:

- Attach your cleaning rod to the rod guide.
- Follow the cleaning procedures specific to your firearm, using compatible solvents.
- After cleaning, carefully remove the rod guide from the chamber.

### 4. PostUsage:

- Clean the rod guide with a suitable solvent and store it in a safe place.
- Inspect the rod guide for any damage before the next use.

## Disposal Instructions

- Dispose of any cleaning solvents and materials in accordance with local regulations.
- If the rod guide is damaged beyond repair, dispose of it in a responsible manner, ensuring it will not pose a hazard to the environment.

## Contact Information for Further Support

For any inquiries regarding the Sinclair ORing Rod Guides or safety concerns, please reach out to the appropriate support channels provided by the manufacturer or retailer.

By following these guidelines, you can ensure safe and effective use of the Sinclair ORing Rod Guides for your firearm cleaning needs. Thank you for your attention to safety.

# About Us

## **Brownells Europe**

### **Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

P.O.Box 4300   
Warwick   
CV34 9BR

[www.brownells.eu](http://www.brownells.eu)