

SINCLAIR O-RING ROD GUIDES FOR 22 CALIBER TO 6MM - SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 22 CALIBER-6MM, 0.838" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action In place of your bold or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber. Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. Will fit the following Actions: Enfield SMLE (No. 1 Mk 4 etc) NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.



Attributes

- Name: [SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 22 CALIBER-6MM, 0.838" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002840
- Mfr. No.: 003-838-243
- Action Fit: Weatherby Mark V,Kleingunther,TC Icon
- Bolt Diameter: .838
- Cartridge: 260 Remington Imp,25-06 Remington,257 Roberts +P,25 Remington,250 Savage Imp 40,257 Roberts,250 Savage,257 Roberts Imp 40,6.5 mm BR (Benchrest),257 Ackley,25-06 Remington Imp 40,260 Remington
- Delivery weight: 0.136kg

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SINCLAIR ORING ROD GUIDES
- About Us

Safety Instruction Guide for SINCLAIR ORING ROD GUIDES

Introduction

Thank you for choosing the SINCLAIR ORING ROD GUIDES. These products are designed to enhance the cleaning process of your firearms while ensuring safety and efficiency. This guide provides essential safety instructions and information to help you use the product correctly and responsibly.

General Safety Guidelines

- Always read and understand the instructions before using the product.
- Ensure the firearm is unloaded before inserting the rod guide.
- Use the rod guide only for the specified caliber and action types.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the rod guide for any signs of wear or damage before use.
- Report any unsafe conditions or incidents related to the product to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the Oring is properly seated to prevent solvent leakage.
- Avoid using excessive force when inserting or removing the rod guide.
- Use only compatible cleaning rods with the rod guide to avoid damage.
- Do not use the rod guide if it appears damaged or worn.
- Handle solvents and cleaning agents with care, following the manufacturer's safety instructions.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary cleaning supplies, including the rod guide, cleaning rod, and solvents.

2. Inserting the Rod Guide

- Remove the bolt or bolt carrier from the firearm.
- Insert the Oring end of the rod guide into the chamber until it is fully seated.
- Ensure that the Oring creates a seal to prevent solvents from leaking back into the action.

3. Using the Cleaning Rod

- Attach the cleaning rod to the appropriate cleaning patch or brush.
- Insert the cleaning rod through the rod guide into the barrel.
- Follow the manufacturer's instructions for cleaning solvents and techniques.

4. Removing the Rod Guide

- Once cleaning is complete, carefully remove the cleaning rod from the barrel.
- Gently pull the rod guide out of the chamber.
- Inspect the Oring for wear and replace if necessary.

Disposal Instructions

- Dispose of any damaged or worn rod guides in accordance with local regulations.
- Do not dispose of cleaning solvents in regular trash; follow local guidelines for hazardous waste disposal.

Contact Information for Further Support

For any inquiries or further support regarding the SINCLAIR ORING ROD GUIDES, please refer to the contact details provided on the packaging or the manufacturer's website.

Thank you for your attention to these safety instructions. Your safety and the safe operation of your firearm are our top priorities.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu