

SINCLAIR O-RING ROD GUIDES FOR 25 TO 280 CAL - SINCLAIR INTERNATIONAL 25-280 CALIBER O-RING ROD GUIDE 0.871" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action In place of your bold or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber. Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.



Attributes

- Name: [SINCLAIR INTERNATIONAL 25-280 CALIBER O-RING ROD GUIDE 0.871" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002851
- Mfr. No.: 003-871-280
- Action Fit: Barnard Actions
- Bolt Diameter: .871
- Cartridge: 6.5 Creedmoor, 280 Remington, 6.5 x 55 mm Swedish Mauser, 257 Roberts, 260 Remington, 250 Savage
- Delivery weight: 0.136kg

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Sinclair ORing Rod Guides
- About Us

Safety Instruction Guide for Sinclair ORing Rod Guides

Introduction

Thank you for choosing the Sinclair ORing Rod Guides for your cleaning needs. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this guide carefully before using the rod guides to understand how to operate them safely and correctly.

General Safety Guidelines

- Always ensure that the firearm is unloaded before using the rod guide.
- Use the rod guide only for its intended purpose as described in this manual.
- Keep the rod guide out of reach of children and unauthorized users.
- Inspect the rod guide for any damage before each use. Do not use a damaged rod guide.
- Follow all local laws and regulations regarding the use of firearm cleaning equipment.
- In case of any malfunction or safety concern, discontinue use immediately and consult a qualified technician.

Specific Safety Precautions for Use

- When inserting the rod guide, ensure that it is properly seated in the chamber to avoid damage to the firearm.
- Avoid using excessive force when inserting or removing the rod guide.
- Do not attempt to modify the rod guide in any way, as this may compromise its safety and effectiveness.
- If using solvents, ensure that they are compatible with the materials of the rod guide and your firearm.
- Always wear appropriate personal protective equipment (PPE), such as gloves and safety glasses, when handling solvents or cleaning materials.

Instructions for Installation and Usage

1. Preparation

- Ensure your firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary cleaning supplies, including the Sinclair ORing Rod Guide, cleaning rod, and solvents.

2. Inserting the Rod Guide

- Remove the bolt or bolt carrier from your firearm's action.
- Take the Sinclair ORing Rod Guide and align it with the chamber.
- Gently insert the rod guide into the chamber until it is fully seated. Ensure the silicone O-ring is properly sealing the chamber.

3. Using the Cleaning Rod

- Attach your cleaning rod to the rod guide.
- Carefully insert the cleaning rod into the barrel through the rod guide.
- Follow the cleaning instructions specific to your firearm and cleaning supplies.

4. Removing the Rod Guide

- After cleaning, carefully remove the cleaning rod from the rod guide.

- Gently pull the rod guide out of the chamber, ensuring not to damage any components.
- Reinstall the bolt or bolt carrier into your firearm.

Disposal Instructions

- Dispose of any used solvents and cleaning materials according to local regulations.
- If the rod guide is damaged beyond repair, dispose of it in accordance with local waste management guidelines. Do not throw it in regular trash if it contains hazardous materials.

Contact Information for Further Support

For any questions or concerns regarding the Sinclair ORing Rod Guides, please consult the product packaging or our official website for contact details. We are here to assist you with any inquiries or support you may need.

Thank you for your attention to these safety instructions. By following these guidelines, you will ensure a safe and effective cleaning experience with your Sinclair ORing Rod Guides.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu