

SINCLAIR O-RING ROD GUIDES FOR 22 CALIBER TO 6MM - SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 22 CALIBER-6MM, 0.630" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action In place of your bold or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber. Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. Will fit the following Actions: Enfield SMLE (No. 1 Mk 4 etc) NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.



Attributes

- Name: [SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 22 CALIBER-6MM, 0.630" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002868
- Mfr. No.: 003-630-243
- Action Fit: Savage MOD 40,Sako 75,Savage MOD 25
- Bolt Diameter: .630
- Cartridge: 22-250 Remington,6 mm Rem BR (Benchrest),22 BR (Benchrest) Remington,6 mm Remington,6 mm XC
- Delivery weight: 0.068kg

Item details

Made in USA

Table of Contents

- Startpage
- Sinclair ORing Rod Guides Safety Instruction Guide
- About Us

Sinclair ORing Rod Guides Safety Instruction Guide

Introduction

Thank you for choosing the Sinclair ORing Rod Guides for your cleaning needs. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this guide carefully before using the rod guide to maximize safety and performance.

General Safety Guidelines

- Ensure that the rod guide is compatible with your specific action and cartridge combination before use.
- Always inspect the rod guide for damage or wear before each use. Do not use a damaged rod guide.
- Keep the rod guide out of reach of children and vulnerable individuals to prevent accidental injury.
- Use the rod guide only for its intended purpose as outlined in this guide.
- Follow all local laws and regulations regarding the use of cleaning equipment and firearms.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before inserting the rod guide.
- Do not attempt to use the rod guide on a firearm that is not designed for its use.
- Avoid using solvents that are not recommended by the manufacturer, as they may damage the rod guide or firearm.
- Be cautious of solvents and cleaning materials; they can be hazardous if inhaled or come into contact with skin.
- If you experience any adverse reactions while using cleaning solvents, discontinue use immediately and seek medical attention if necessary.

Instructions for Installation and Usage

1. Preparation

- Ensure that your firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary cleaning supplies, including the Sinclair ORing Rod Guide and cleaning rod.

2. Installation

- Remove the bolt or bolt carrier from your firearm as per the manufacturer's instructions.
- Insert the Sinclair ORing Rod Guide into the chamber of your firearm until it is fully seated.
- Ensure that the silicone "O"ring is properly seated in the chamber to create a seal.

3. Usage

- Attach the cleaning rod to the rod guide.
- Apply the appropriate cleaning solvent to the cleaning patch or brush.
- Insert the cleaning rod into the rod guide and proceed with the cleaning process, ensuring that the rod moves smoothly without excessive force.
- Periodically check the rod guide and firearm to ensure that no solvent is leaking into the action area.

4. PostCleaning

- After cleaning, remove the rod guide from the chamber.

- Clean the rod guide with a suitable solvent and store it in a safe place when not in use.

Disposal Instructions

- Dispose of any cleaning solvents and materials in accordance with local regulations.
- If the rod guide becomes damaged beyond repair, dispose of it responsibly. Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding product safety, compatibility, or additional support, please reach out to your local Sinclair International representative or authorized dealer.

By following these guidelines, you can ensure the safe and effective use of your Sinclair ORing Rod Guides. Always prioritize safety when handling firearms and cleaning equipment. Thank you for choosing Sinclair International for your cleaning needs.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu