

SINCLAIR O-RING ROD GUIDES FOR 22 CALIBER TO 6MM PPC - SINCLAIR INTERNATIONAL 22 CAL - 6MM PPC O-RING ROD GUIDE 0.720" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action In place of your bold or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber. Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. Will fit the following Actions: MK 10 MINI MAUSER. NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.



Attributes

- Name: [SINCLAIR INTERNATIONAL 22 CAL - 6MM PPC O-RING ROD GUIDE 0.720" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002907
- Mfr. No.: 003-720-220
- Action Fit: Bat Action 2-Lug, McMillan Tactical, McMillan Hunter, Shellin DGA
- Bolt Diameter: .720
- Cartridge: 6 PPC, 22 PPC, 220 Swift
- Delivery weight: 0.091kg
- Shipping height: 23mm
- Shipping width: 25mm
- Shipping length: 307mm

Item details

Made in USA

Table of Contents

- Startpage
- Sinclair ORing Rod Guides Safety Instruction Guide
- About Us

Sinclair ORing Rod Guides Safety Instruction Guide

Introduction

Thank you for purchasing the Sinclair ORing Rod Guides designed for 22 caliber to 6mm PPC. This guide provides essential safety instructions and usage information to ensure a safe and effective experience with your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure the product is used only for its intended purpose as specified in the product description.
- Always handle firearms and cleaning equipment with care to prevent accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the rod guide for any signs of wear or damage before use.
- If you notice any defects, discontinue use immediately and contact customer support.
- Follow all local laws and regulations regarding firearm maintenance and cleaning.

Specific Safety Precautions for Use

- Use the ORing Rod Guide only with compatible actions and cartridges as listed in the product specifications.
- Ensure that the firearm is unloaded and the chamber is clear before inserting the rod guide.
- Do not force the rod guide into the chamber; it should fit snugly without excessive force.
- Avoid using harsh solvents or chemicals that are not recommended for use with the rod guide.
- Always wear appropriate safety gear, such as gloves and eye protection, when cleaning firearms.
- Be aware of your surroundings when cleaning firearms to prevent accidents or injuries.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is completely unloaded and the chamber is clear.
- Gather all necessary cleaning supplies and ensure you are in a wellventilated area.

2. Inserting the Rod Guide:

- Align the snout of the rod guide with the chamber of the firearm.
- Gently insert the rod guide into the chamber, ensuring that the silicone O-ring creates a seal.
- Confirm that the rod guide is securely in place before proceeding.

3. Using the Cleaning Rod:

- Attach the cleaning rod to the rod guide.
- Use a suitable cleaning patch or brush, applying the appropriate cleaning solvent.
- Insert the cleaning rod into the barrel and move it back and forth gently to clean.

4. Removing the Rod Guide:

- Once cleaning is complete, carefully remove the cleaning rod from the barrel.
- Gently pull the rod guide from the chamber, ensuring not to damage the O-ring.

5. PostUse Care:

- Clean the rod guide after each use to prevent solvent buildup.
- Store the rod guide in a dry and safe location when not in use.

Disposal Instructions

- Dispose of any cleaning solvents and materials in accordance with local regulations.
- The rod guide can be disposed of in regular waste if it is no longer usable. Ensure that it is kept out of reach of children during disposal.

Contact Information for Further Support

For any inquiries regarding safety, product usage, or support, please reach out to the designated contact point provided with your product packaging.

Thank you for choosing Sinclair ORing Rod Guides. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk