

SINCLAIR O-RING ROD GUIDES FOR 30 CALIBER TO 7MM BELTED MAG - SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 30 CALIBER-7MM BELTED MAG, 0.838" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action in place of your bolt or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber. Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. Will fit the following Actions: Browning L70, Sako A3, A4, L61, Finnbear, 491, 591, 691, Howa 1500, Tikka, 595, 590, 695, and 690, Cooper 22, Savage AXIS, Kimber 84 (WSM). NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.



Attributes

- Name: [SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 30 CALIBER-7MM BELTED MAG, 0.838" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002910
- Mfr. No.: 003-838-300
- Action Fit: Kleingunther, Weatherby Mark V, TC Icon
- Bolt Diameter: .838
- Cartridge: 7 mm Remington Magnum, 300 Winchester Magnum, 30-338 Winchester Mag, 300 Ruger Compact Magnum, 7 mm STW, 300 Weatherby Magnum, 7 mm/300 Weatherby Mag, 7 mm Weatherby Magnum, 300 H&H Magnum, 308 Norma Mag
- Delivery weight: 0.113kg

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SINCLAIR ORING ROD GUIDES
- About Us

Safety Instruction Guide for SINCLAIR ORING ROD GUIDES

Introduction

Thank you for choosing the SINCLAIR ORING ROD GUIDES for your firearm cleaning needs. This guide provides essential safety information and instructions to ensure the safe and effective use of this product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the rod guide is compatible with your specific firearm model and caliber.
- Always handle firearms with care and follow all safety protocols.
- Keep the rod guide and all cleaning supplies out of reach of children and vulnerable individuals.
- Inspect the rod guide before each use for any signs of damage or wear. Do not use if damaged.
- Use only recommended solvents and cleaning materials with the rod guide.
- Follow the manufacturer's instructions for cleaning and maintenance of your firearm.

Specific Safety Precautions for Use

- Always ensure the firearm is unloaded before inserting the rod guide.
- Use the rod guide only in a wellventilated area to avoid inhaling fumes from solvents.
- Wear protective gloves and eyewear when using solvents to prevent skin and eye irritation.
- Do not force the rod guide into the chamber; it should fit snugly without excessive pressure.
- If you notice any resistance while using the rod guide, stop immediately and check for obstructions.
- Avoid using the rod guide with firearms that do not have a compatible chamber design.

Instructions for Installation and Usage

1. Preparation

- Ensure your firearm is completely unloaded and pointed in a safe direction.
- Gather all necessary cleaning supplies, including the SINCLAIR ORING ROD GUIDE, cleaning rod, and solvent.

2. Installation

- Remove the bolt or bolt carrier from your firearm to expose the chamber.
- Gently insert the rod guide into the chamber until the silicone "O"ring seals against it.
- Ensure a snug fit to prevent solvents from leaking back into the action area.

3. Usage

- Attach your cleaning rod to the rod guide.
- Apply the appropriate solvent to the cleaning patch or brush.
- Insert the cleaning rod through the rod guide and into the barrel.
- Follow the recommended cleaning procedure for your specific firearm.

4. PostUse

- After cleaning, remove the rod guide from the chamber.
- Clean and dry the rod guide according to the manufacturer's instructions.
- Store the rod guide in a safe place, away from children and pets.

Disposal Instructions

- Dispose of any used cleaning materials, solvents, or damaged rod guides in accordance with local regulations.
- Do not dispose of solvents in regular trash or pour them down the drain. Follow local hazardous waste disposal guidelines.

Contact Information for Further Support

For any safety inquiries or support regarding the SINCLAIR ORING ROD GUIDES, please refer to the manufacturer's contact details provided with the product packaging.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu