

SINCLAIR O-RING ROD GUIDES FOR 223 FAMILY - SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 223 REMINGTON, 0.675" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action in place of your bolt or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber.

Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. Will fit the following Actions: Borden Rimrock, COOPER 54 & 22, COOPER 16(WSSM), BRNO, Browning A-Bolt, CPS, Dakota Arms Model 76, GA Precision Templar, Stiller Viper, Enfield Model 1917, Grunig Elmiger, Hart, Herter Model V9, Husqvarna Model HVA & M8000, HS Precision, Mauser Model 3000, Mauser 38 Swedish Target, Mauser 98 type, McMillan Signature, Remington (all 700, 600 & 7), Ruger Model 77 short and 77 long, S & W Model 1970, Savage 110, 112, 11, 12, Springfield 03A3, Stolle (all), Tanner, Weatherby, Varmitmaster, and Winchester (pre 2010 FN production). SPECIAL NOTE: FN versions of the Model 70 do not all have .700 bolt diameters. Also they have FIXED ejectors so a slot has to be milled down the length of the rod guide body. So any Model 70 made after 2010 that has FN and not Winchester New Haven Connecticut stamped on the receiver is now a CUSTOM ROD GUIDE and you have to check the bolt diameter.



Attributes

- Name: [SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 223 REMINGTON, 0.675" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002919
- Mfr. No.: 003-675-222
- Action Fit: 591, 595, 691, Browning L70, Finnbear, Sako A3, Sako A4, Sako L46, 590, 690, Howa 1500, Tikka, 491, 695
- Bolt Diameter: .675
- Cartridge: 221 Remington Fireball, 222 Remington, 222 Remington Mag, 223 Remington
- Delivery weight: 0.091kg
- Shipping height: 15mm
- Shipping width: 15mm
- Shipping length: 307mm

Item details

Made in USA

Table of Contents

- Startpage
- Sinclair ORing Rod Guides Safety Instructions
- About Us

Sinclair ORing Rod Guides Safety Instructions

Introduction

Thank you for choosing the Sinclair ORing Rod Guides for your cleaning needs. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before using the rod guides.

General Safety Guidelines

- Ensure that the product is suitable for your specific firearm model and caliber before use.
- Always follow the manufacturer's instructions for cleaning and maintaining your firearm.
- Store the rod guides in a safe place, out of reach of children and pets.
- Inspect the rod guide for any signs of damage before each use. Do not use if damaged.
- Use the rod guide only for its intended purpose, as outlined in this guide.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, such as eye protection, when cleaning your firearm.
- Ensure the firearm is unloaded before inserting the rod guide.
- Avoid using excessive force when inserting or removing the rod guide to prevent damage to the firearm or the guide.
- Do not leave the rod guide inserted in the chamber for extended periods, as this may cause wear or damage.
- Be cautious of solvents and cleaning agents; ensure they are compatible with your firearm and the rod guide materials.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is completely unloaded.
- Gather necessary cleaning supplies, including cleaning solvents, brushes, and patches.

2. Inserting the Rod Guide:

- Remove the bolt or bolt carrier from your firearm.
- Carefully insert the Sinclair ORing Rod Guide into the chamber of the firearm.
- Ensure that the silicone "O" ring is properly seated to create a seal that prevents solvent leakage.

3. Cleaning Process:

- Attach your cleaning rod to the appropriate brush or patch.
- Insert the cleaning rod through the rod guide and into the barrel.
- Follow your usual cleaning procedure, applying solvents as needed.
- After cleaning, remove the cleaning rod and the rod guide.

4. Removing the Rod Guide:

- Gently pull the rod guide out of the chamber.
- Inspect the rod guide for any residue or damage before storing.

Disposal Instructions

- Dispose of any cleaning solvents and materials in accordance with local regulations.
- If the rod guide is damaged beyond repair, dispose of it responsibly. Check local guidelines for proper disposal methods.

Contact Information for Further Support

For any inquiries or additional support regarding the Sinclair ORing Rod Guides, please reach out to the manufacturer's customer service. Ensure you have your product details ready for reference.

By following these safety instructions, you can ensure a safe and effective cleaning process for your firearm using the Sinclair ORing Rod Guides. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk