

# SINCLAIR O-RING ROD GUIDES FOR 22 CALIBER TO 6MM PPC - SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 22 CALIBER-6MM PPC, 0.900" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action in place of your bolt or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber. Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. Will fit the following Actions: MK 10 MINI MAUSER. NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.



## Attributes

- Name: [SINCLAIR INTERNATIONAL O-RING ROD GUIDE, 22 CALIBER-6MM PPC, 0.900" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002924
- Mfr. No.: 003-900-220
- Action Fit: Bat Action 3-Lug
- Bolt Diameter: .900
- Cartridge: 22 PPC, 220 Swift, 6mm PPC
- Delivery weight: 0.113kg
- Shipping height: 23mm
- Shipping width: 23mm
- Shipping length: 305mm

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [SINCLAIR ORING ROD GUIDES SAFETY INSTRUCTION GUIDE](#)
- [About Us](#)

# SINCLAIR ORING ROD GUIDES SAFETY INSTRUCTION GUIDE

## Introduction

Thank you for choosing the Sinclair ORing Rod Guides for your cleaning needs. This guide provides essential safety instructions and guidelines to ensure the safe use of this product. Please read this document carefully before using the rod guides.

## General Safety Guidelines

- Ensure that the rod guide is compatible with your firearm model and caliber before use.
- Always inspect the rod guide for any signs of damage or wear before each use.
- Keep the rod guide and cleaning supplies out of reach of children and vulnerable individuals.
- Use the rod guide only for its intended purpose as specified in this guide.
- Follow all local laws and regulations regarding firearm maintenance and cleaning.

## Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before inserting the rod guide.
- Do not attempt to use the rod guide if it does not fit securely in the action of your firearm.
- Avoid using excessive force when inserting or removing the rod guide to prevent damage to your firearm or the guide.
- Use only approved cleaning solvents that are compatible with the materials of the rod guide and your firearm.
- If you experience any difficulty while using the rod guide, discontinue use immediately and consult a professional.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure that your firearm is completely unloaded.
- Gather all necessary cleaning supplies, including the cleaning rod and solvent.

### 2. Inserting the Rod Guide

- Align the rod guide with the action of your firearm.
- Gently insert the rod guide into the chamber until it is seated securely.
- Ensure that the silicone "O"ring creates a proper seal within the chamber.

### 3. Using the Cleaning Rod

- Attach the cleaning rod to the rod guide.
- Apply the appropriate cleaning solvent to the cleaning patch or brush.
- Insert the cleaning rod through the rod guide and into the barrel, following the manufacturer's instructions for cleaning.

### 4. Removing the Rod Guide

- Once cleaning is complete, carefully remove the cleaning rod from the rod guide.
- Gently pull the rod guide out of the chamber, ensuring not to damage the firearm.

### 5. PostUse Inspection

- Inspect the rod guide for any signs of wear or damage after use.
- Clean the rod guide as needed to maintain its condition.

## **Disposal Instructions**

- Dispose of any damaged or worn rod guides in accordance with local regulations.
- Do not throw away the rod guide in regular household waste if it is still in usable condition. Consider donating or recycling if appropriate.

## **Contact Information for Further Support**

For safety inquiries or additional support regarding the Sinclair ORing Rod Guides, please refer to the manufacturer's contact details provided with your product packaging or visit the official website.

By following these safety instructions, you can ensure a safe and effective cleaning process for your firearm. Always prioritize safety and compliance with local laws when handling firearms and cleaning equipment. Thank you for your attention and responsible use of the Sinclair ORing Rod Guides.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)