

SINCLAIR O-RING ROD GUIDES FOR 308/30-06 FAMILY - SINCLAIR INTERNATIONAL O-RING GUIDE, 30 CALIBER, 0.675" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action In place of your bold or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber.

Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. Will fit the following Actions: Kimber 84M &84L. NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.



Attributes

- Name: [SINCLAIR INTERNATIONAL O-RING GUIDE, 30 CALIBER, 0.675" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002928
- Mfr. No.: 003-675-308
- Action Fit: 491,590,591,595,690,Howa 1500,Sako A3,Sako A4,Tikka,695,691,Browning L70,Finnbear,Sako L46
- Bolt Diameter: .675
- Cartridge: 30-06 Springfield,308 Winchester
- Make: -
- Model: -
- Delivery weight: 0.113kg
- Shipping height: 23mm
- Shipping width: 25mm
- Shipping length: 302mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Sinclair ORing Rod Guides
- About Us

Safety Instruction Guide for Sinclair ORing Rod Guides

Introduction

Thank you for purchasing the Sinclair ORing Rod Guides for the 308/3006 family. This guide contains important safety information and instructions to ensure the safe and effective use of your product. Please read this guide carefully before use.

General Safety Guidelines

- Always ensure that the firearm is unloaded before inserting the rod guide.
- Use the rod guide only with compatible actions and cartridges as specified.
- Regularly inspect the rod guide for any signs of wear or damage before use.
- Keep the rod guide out of reach of children and unauthorized users.
- Follow all manufacturer instructions for proper cleaning and maintenance of your firearm.
- In case of any malfunction or unsafe condition, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Ensure that the O-ring is properly seated in the chamber to prevent solvent leakage.
- Do not use the rod guide if it is damaged or shows signs of wear.
- Avoid using excessive force when inserting or removing the rod guide.
- Use only recommended solvents that are compatible with your firearm and rod guide.
- If using the rod guide with an adjustable cone style, ensure it is securely attached before use.
- Always wear appropriate safety gear, such as gloves and eye protection, when cleaning your firearm.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is completely unloaded.
- Gather necessary cleaning supplies and the Sinclair ORing Rod Guide.

2. Installation:

- Measure the bolt diameter using dial calipers to ensure compatibility.
- Align the O-ring snout of the rod guide with the chamber of your firearm.
- Gently insert the rod guide into the chamber until it is fully seated.

3. Usage:

- Attach a cleaning rod to the rod guide.
- Proceed with cleaning your firearm as per the manufacturer's instructions.
- Monitor the rod guide during use to ensure it remains securely in place.

4. Removal:

- Once cleaning is complete, carefully remove the rod guide from the chamber.
- Inspect the O-ring for any damage or wear after each use.

Disposal Instructions

- Dispose of the rod guide in accordance with local regulations.
- If the rod guide is damaged or no longer usable, consider recycling materials where possible.
- Do not dispose of any cleaning solvents or chemicals in regular trash; follow local hazardous waste disposal guidelines.

Contact Information for Further Support

For any inquiries regarding safety, usage, or compatibility of the Sinclair ORing Rod Guides, please refer to the manufacturer's website or contact customer support directly.

Conclusion

By following these safety guidelines and instructions, you can ensure the safe and effective use of your Sinclair ORing Rod Guides. Always prioritize safety and do not hesitate to seek assistance if you have any questions or concerns. Thank you for choosing Sinclair International for your cleaning needs.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk