

SINCLAIR O-RING ROD GUIDES FOR 22 CALIBER TO 6MM - O-RING ROD GUIDE, 22 CALIBER-6MM, 0.695" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action In place of your bold or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber.

Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. Will fit the following Actions: Enfield SMLE (No. 1 Mk 4 etc) NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.



Attributes

- Name: [O-RING ROD GUIDE, 22 CALIBER-6MM, 0.695" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002937
- Mfr. No.: 003-695-243
- Action Fit: Bordon Rimrock, BRNO, Browning A-Bolt, Cooper 22, Cooper 54, Cooper Model 16, CPS, Dakota Arms, Enfield US M1917, GA Precision Templar, Grunig Elmiger, H-S Precision, Hart Actions, Herter Model V9, Husqvarna Model HVA & M8000, Mauser 3000, Stillar Viper
- Bolt Diameter: .695
- Cartridge: 22 BR (Benchrest) Remington, 22-250 Remington, 240 Weatherby Magnum, 243 Winchester, 22/243 Winchester, 243 Winchester Imp 40, 22-250 Ackley, 22/6 mm Remington, 22-250 Remington Imp 40, 243 Ackley
- Delivery weight: 0.091kg
- Shipping height: 23mm
- Shipping width: 25mm
- Shipping length: 307mm
- UPC: 050806111103

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SINCLAIR ORING ROD GUIDES
- About Us

Safety Instruction Guide for SINCLAIR ORING ROD GUIDES

Introduction

Thank you for choosing the SINCLAIR ORING ROD GUIDES for your cleaning needs. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this guide carefully before using the rod guide.

General Safety Guidelines

- Ensure that the rod guide is compatible with your firearm's action and caliber before use.
- Always handle firearms with care and in accordance with general firearm safety rules.
- Keep the rod guide out of reach of children and unauthorized users.
- Regularly inspect the rod guide for wear or damage. Do not use if any part is compromised.
- Use the rod guide only for its intended purpose as described in this manual.
- Follow all local laws and regulations regarding firearm maintenance and cleaning.

Specific Safety Precautions for Use

- **Hazard Identification:** The rod guide is designed to fit tightly in the chamber. Improper use may cause damage to the firearm or personal injury.
- **Avoiding Hazards:**
 - Ensure the firearm is unloaded before inserting the rod guide.
 - Do not force the rod guide into the chamber. If it does not fit, check for compatibility or consult a professional.
 - Use caution when applying solvents. Ensure proper ventilation and avoid skin contact.
 - Do not leave the rod guide unattended while in use.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather necessary cleaning supplies and the rod guide.

2. Installation:

- Remove the bolt or bolt carrier from the firearm as per the manufacturer's instructions.
- Insert the rod guide into the chamber until it is fully seated. Ensure the silicone "O"ring creates a seal.

3. Usage:

- Attach your cleaning rod to the rod guide.
- Proceed with cleaning the barrel, using appropriate cleaning solvents and patches.
- Monitor the cleaning process to avoid solvent leakage into the action area.

4. PostUsage:

- After cleaning, remove the rod guide from the chamber.
- Clean the rod guide and store it in a safe, dry place.

Disposal Instructions

- Dispose of any worn or damaged rod guides in accordance with local regulations.
- Do not throw the rod guide in regular household waste. Check for recycling options in your area.

Contact Information for Further Support

For any inquiries, concerns, or support regarding the SINCLAIR ORING ROD GUIDES, please refer to the contact details provided with your purchase or consult the official website.

By following these safety instructions, you can ensure a safe and effective cleaning experience with your SINCLAIR ORING ROD GUIDES. Thank you for your attention to these important guidelines.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at