

SINCLAIR O-RING ROD GUIDES FOR 30 CALIBER TO 7MM BELTED MAG - SINCLAIR INTERNATIONAL 30 CAL-7MM BELTED MAG O-RING ROD GUIDE 0.695" DIAMETER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Guides](#)

Our Centerfire Cleaning Rod Guides are designed to insert into your action in place of your bolt or bolt carrier. They feature a snout with a silicone "O"-ring that inserts into your chamber, sealing the barrel off from the receiver. The "O"-ring prevents solvents from leaking back into the action area and gumming up the trigger assembly. We currently stock "O"-ring rod guides for over 1000 different action/cartridge combinations. Each rod guide is machined to fit specific actions and cartridge families from .17 up to .338 caliber.



Unfortunately some rifle chamberings do not lend themselves to an "O"-ring style rod guide, for these cartridges we recommend one of our Adjustable Cone Style Rod Guides. In an effort to better serve the cleaning needs of our customers, we have upgraded our Sinclair "O"-ring rod guides to include integral solvent ports. This upgrade is now included with every centerfire bolt action rod guide and nearly all AR style rod guides. If you prefer a rod guide without an integral solvent port, please contact us via e-mail or phone and we will happily provide you with a rod guide to your liking. These rod guides without solvent ports will be treated as semi-custom, so please allow 2-4 weeks for delivery of rod guides without solvent ports. There is no additional charge for rod guides without integral solvent ports. Will fit the following Actions: Browning L70, Sako A3, A4, L61, Finnbear, 491, 591, 691, Howa 1500, Tikka, 595, 590, 695, and 690, Cooper 22, Savage AXIS, Kimber 84 (WSM). NOTE: Measure across around area of bolt about in middle with set of dial calipers. Contact Sinclair Reloading tech for proper rod guide.

Sinclair O-Ring Rod Guide, Belted Mags 7mm - 30 cal

Attributes

- Name: [SINCLAIR INTERNATIONAL 30 CAL-7MM BELTED MAG O-RING ROD GUIDE 0.695" DIAMETER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749002944
- Mfr. No.: 003-695-300
- Action Fit: Bordon Rimrock, BRNO, Browning A-Bolt, Cooper 22, Cooper 54, Cooper Model 16, CPS, Dakota Arms, Enfield US M1917, GA Precision Templar, Grunig Elmiger, H-S Precision, Hart Actions, Herter Model V9, Husqvarna Model HVA & M8000, Mauser 3000, Stiller Viper
- Bolt Diameter: .695
- Cartridge: 7 mm Remington Magnum, 7 mm STW, 7 mm Weatherby Magnum, 300 H&H Magnum, 300 Weatherby Magnum, 300 Winchester Magnum, 308 Norma Mag, 300 Ruger Compact Magnum, 30-338 Winchester Mag
- Delivery weight: 0.068kg
- Shipping height: 15mm
- Shipping width: 18mm
- Shipping length: 305mm
- UPC: 050806111110

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SINCLAIR ORING ROD GUIDES
- About Us

Safety Instruction Guide for SINCLAIR ORING ROD GUIDES

Introduction

Thank you for choosing the SINCLAIR ORING ROD GUIDES for your 30 caliber to 7mm belted mag firearms. This guide provides essential safety instructions to ensure your safe use of this product. Please read and understand these instructions thoroughly before using the rod guide.

General Safety Guidelines

- Ensure that the rod guide is used in accordance with the manufacturer's instructions.
- Always handle firearms with care and respect, treating every firearm as if it is loaded.
- Keep the rod guide out of reach of children and unauthorized users.
- Regularly inspect the rod guide for signs of wear or damage before use.
- If you notice any defects or irregularities, discontinue use immediately and consult a qualified professional.

Specific Safety Precautions for Use

- Use the rod guide only with compatible firearms as listed in the product specifications.
- Ensure that the bolt diameter of your firearm matches the rod guide specification of .695 inches.
- Do not force the rod guide into the barrel; it should fit snugly but not require excessive force.
- Avoid using the rod guide in wet or damp conditions to prevent rust and damage.
- Store the rod guide in a dry place, away from direct sunlight and extreme temperatures.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Remove any existing cleaning rods or tools from the firearm.

2. Installation:

- Align the rod guide with the chamber of the firearm.
- Gently insert the rod guide into the chamber until it is securely in place.

3. Usage:

- Attach your cleaning rod to the rod guide.
- Proceed with your cleaning process as per your standard cleaning procedure.
- After use, carefully remove the rod guide from the chamber.

4. PostUse Care:

- Clean the rod guide with a soft cloth to remove any residue.
- Inspect the rod guide for any damage or wear before storing it.

Disposal Instructions

- Dispose of the rod guide responsibly at a designated waste disposal facility.
- Do not dispose of the rod guide in regular household waste.

- Follow local regulations for the disposal of nonbiodegradable materials.

Contact Information for Further Support

For any safety inquiries, product issues, or further assistance, please refer to the manufacturer's contact information provided in the product packaging or on the official website.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience when using the SINCLAIR ORING ROD GUIDES. Always prioritize safety and adhere to the guidelines provided in this manual. Thank you for your attention to safety and for choosing SINCLAIR INTERNATIONAL.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk