

TITANIUM NITRIDE NECK BUSHINGS - REDDING TITANIUM NITRIDE BUSHING/.368

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings as above, but with the addition of a Titanium Nitride coating to further increase the effective surface hardness and reduce sizing friction. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD76XXX) denotes bushing size. .185 to .252 .253 to .305 .306 to .368

Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.



Attributes

- Name: [REDDING TITANIUM NITRIDE BUSHING/.368](#)
- Manufacturer: [REDDING](#)
- Product no.: 749003391
- Mfr. No.: 76368
- Diameter (in): .368
- Delivery weight: 0.009kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760763687

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS](#)
- [About Us](#)

Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS

Introduction

Thank you for choosing the TITANIUM NITRIDE NECK BUSHINGS from REDDING. This guide provides essential safety information, usage instructions, and disposal guidelines to ensure the safe and effective use of this product. Please read this guide thoroughly before using the bushings.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the bushings by following all instructions. This product is designed for nonfood applications and should not be used for any unintended purposes.
- **Enhanced Recalls:** In the event of a safety recall, you will be notified through standardized recall notices. Please keep an eye on updates related to product recalls.
- **Online Shopping:** If purchased online, ensure that the platform complies with safety requirements similar to those of physical stores.
- **Special Consumer Focus:** Extra caution should be taken if the product is used around vulnerable groups, such as children. Keep the bushings out of reach of children.
- **EU Contact Point:** For any safety inquiries, please refer to the contact information provided by your seller or retailer.
- **Rapid Alerts:** Stay informed about any unsafe product updates through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Sharp edges: The bushings may have sharp edges that can cause cuts.
 - Improper installation: Incorrect installation can lead to malfunction and potential injury.
 - Environmental conditions: Avoid using the bushings in extreme temperatures or conditions that may affect their performance.
- **Avoiding Hazards:**
 - Always handle the bushings with care to avoid cuts or injuries.
 - Ensure proper installation to prevent misuse.
 - Store the bushings in a cool, dry place away from direct sunlight.
- **AgeSpecific Warnings:**
 - This product is intended for adult use only. Keep away from children and unauthorized users.

Instructions for Installation and Usage

1. Preparation:

- Ensure that you have the correct size bushings for your application. The size is indicated by the last three digits of the part number (#RD76XXX).
- Gather all necessary tools for installation.

2. Installation Steps:

- Remove any existing bushings from your equipment.

- Clean the installation area to ensure a proper fit.
- Carefully insert the TITANIUM NITRIDE NECK BUSHING into the designated area. Ensure it fits snugly.
- Secure the bushing according to the manufacturer's specifications.

3. Usage Instructions:

- After installation, check for any movement or instability in the bushing.
- Use the bushings only for their intended purpose and within the specified size range of .185" thru .368" in .001" increments.
- Regularly inspect the bushings for wear or damage. Replace if necessary.

Disposal Instructions

- **Disposal of Bushings:**

- Dispose of any used or damaged bushings in accordance with local regulations.
- Do not dispose of bushings in regular household waste if they are hazardous or contain materials that require special handling.

- **Environmental Considerations:**

- Recycle materials whenever possible to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the TITANIUM NITRIDE NECK BUSHINGS, please refer to the contact information provided by your retailer or seller. Always ensure that you have access to support for any safety inquiries.

By following these guidelines, you can ensure the safe and effective use of your TITANIUM NITRIDE NECK BUSHINGS. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk