

TITANIUM NITRIDE NECK BUSHINGS - REDDING TITANIUM NITRIDE BUSHING/.362

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings as above, but with the addition of a Titanium Nitride coating to further increase the effective surface hardness and reduce sizing friction. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD76XXX) denotes bushing size. .185 to .252 .253 to .305 .306 to .368



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING TITANIUM NITRIDE BUSHING/.362](#)
- Manufacturer: [REDDING](#)
- Product no.: 749003423
- Mfr. No.: 76362
- Diameter (in): .362
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760763625

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS
- About Us

Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS

Introduction

Thank you for choosing the TITANIUM NITRIDE NECK BUSHINGS by REDDING. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read all sections carefully before using the bushings.

General Safety Guidelines

- Ensure that the bushings are used only for their intended purpose.
- Always inspect the bushings for any signs of damage before use.
- Keep bushings out of reach of children and vulnerable individuals.
- Follow all manufacturer instructions for installation and usage.
- Be aware of the potential hazards associated with improper use.

Specific Safety Precautions for Use

- **Handling:**
 - Use gloves when handling bushings to avoid injury from sharp edges.
 - Do not apply excessive force when installing or removing bushings.
- **Installation:**
 - Ensure that the firearm is unloaded before installing the bushings.
 - Use the correct tools as specified by the manufacturer to avoid damaging the bushings.
- **Usage:**
 - Do not exceed the recommended size range of .185" through .368".
 - Monitor for any unusual wear or performance issues during use.
- **Storage:**
 - Store bushings in a dry, cool place away from direct sunlight.
 - Avoid exposure to extreme temperatures or humidity.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your workspace is clean and welllit.
- Gather all necessary tools and materials before beginning installation.

2. Installation:

- Verify that the firearm is unloaded and pointed in a safe direction.
- Select the appropriate bushing size based on your requirements.
- Align the bushing with the designated area on the firearm.
- Gently push or screw the bushing into place using the appropriate tool.
- Ensure that the bushing is securely fastened and properly aligned.

3. Usage:

- Once installed, test the functionality of the bushing by cycling the action of the firearm.
- Observe for any irregularities in operation.
- If any issues arise, cease use immediately and inspect the bushing for damage.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not throw bushings in regular household waste; consult local authorities for proper disposal methods.
- Ensure that bushings are disposed of in a way that prevents accidental harm to people or the environment.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and usage of the TITANIUM NITRIDE NECK BUSHINGS, please refer to the manufacturer's contact information provided on the product packaging or visit their official website for assistance.

Conclusion

By adhering to these safety guidelines and instructions, you can ensure the safe and effective use of your TITANIUM NITRIDE NECK BUSHINGS. Always prioritize safety and consult the manufacturer for any questions or concerns regarding this product. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk