

TITANIUM NITRIDE NECK BUSHINGS - REDDING TITANIUM NITRIDE BUSHING/.364

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings as above, but with the addition of a Titanium Nitride coating to further increase the effective surface hardness and reduce sizing friction. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD76XXX) denotes bushing size. .185 to .252 .253 to .305 .306 to .368



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING TITANIUM NITRIDE BUSHING/.364](#)
- Manufacturer: [REDDING](#)
- Product no.: 749003425
- Mfr. No.: 76364
- Diameter (in): .364
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760763649

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS
- About Us

Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS

Introduction

Thank you for choosing the TITANIUM NITRIDE NECK BUSHINGS by REDDING. This guide provides important safety information and instructions to ensure the safe and effective use of this product. Please read this guide carefully before using the bushings.

General Safety Guidelines

- Ensure that the bushings are used only for their intended purpose.
- Always inspect the bushings for any signs of damage or wear before use.
- Follow all instructions provided in this guide to avoid potential hazards.
- Keep the bushings out of reach of children and vulnerable individuals to prevent accidents.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

• Hazard Identification:

- The bushings may pose risks if improperly installed or used.
- Ensure that the bushings are compatible with your specific application and equipment.

• Avoiding Hazards:

- Do not exceed the recommended sizing limits when using the bushings.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, during installation and use.
- Avoid using the bushings in extreme temperatures or conditions outside of the manufacturer's specifications.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and equipment before starting the installation.
- Ensure that the work area is clean and free of obstructions.

2. Installation:

- Carefully remove the bushings from the packaging.
- Inspect each bushing for any defects or damage prior to installation.
- Align the bushing with the corresponding part and gently insert it, ensuring a snug fit.
- Secure the bushing according to the manufacturer's specifications.

3. Usage:

- Once installed, operate the equipment according to the manufacturer's guidelines, ensuring that the bushings are functioning correctly.
- Monitor the performance of the bushings regularly to identify any signs of wear or malfunction.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Do not dispose of the bushings in regular household waste.
- Check with local waste management authorities for proper disposal methods and facilities.

Contact Information for Further Support

For any questions or concerns regarding the TITANIUM NITRIDE NECK BUSHINGS, please reach out to the manufacturer or your point of purchase for further assistance.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk