

TITANIUM NITRIDE NECK BUSHINGS - REDDING TITANIUM NITRIDE BUSHING/.256

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings as above, but with the addition of a Titanium Nitride coating to further increase the effective surface hardness and reduce sizing friction. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD76XXX) denotes bushing size. .185 to .252 .253 to .305 .306 to .368



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING TITANIUM NITRIDE BUSHING/.256](#)
- Manufacturer: [REDDING](#)
- Product no.: 749003442
- Mfr. No.: 76256
- Diameter (in): .256
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760762567

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS
- About Us

Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS

Introduction

Thank you for purchasing the TITANIUM NITRIDE NECK BUSHINGS from REDDING. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this guide thoroughly before use.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Inspect the bushings for any visible damage before use. Do not use damaged bushings.
- Ensure that the bushings are compatible with your equipment to avoid improper fitting.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Check for recall updates regularly on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the bushings.
- Avoid using excessive force when installing the bushings to prevent damage to the equipment or the bushings themselves.
- Ensure that the working area is clean and free from obstructions to prevent accidents during installation and use.
- Do not attempt to modify or alter the bushings in any way, as this may compromise safety and effectiveness.
- If you experience any unusual noise or resistance during operation, stop immediately and inspect the bushings.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and equipment before starting the installation.
- Clean the area where the bushings will be installed to ensure a smooth installation process.

2. Installation

- Select the appropriate size of the bushing based on the specifications provided (sizes range from .185" to .368" in .001" increments).
- Align the bushing with the designated area on your equipment.
- Gently insert the bushing, ensuring it fits snugly without excessive force.
- Verify that the bushing is properly seated and secured before proceeding to use the equipment.

3. Usage

- Operate your equipment according to the manufacturer's guidelines while using the bushings.
- Monitor the performance during use. If any issues arise, stop and inspect the bushings.

Disposal Instructions

- Dispose of any damaged or worn bushings in accordance with local regulations.
- Avoid disposing of bushings in regular household waste. Instead, consider recycling options where available.
- Ensure that any waste is disposed of in a manner that does not pose a risk to the environment or public safety.

Contact Information for Further Support

For any inquiries or further assistance regarding safety or usage of the TITANIUM NITRIDE NECK BUSHINGS, please refer to the manufacturer's contact point.

Thank you for following these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk