

TITANIUM NITRIDE NECK BUSHINGS - REDDING TITANIUM NITRIDE BUSHING/.341

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings as above, but with the addition of a Titanium Nitride coating to further increase the effective surface hardness and reduce sizing friction. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD76XXX) denotes bushing size. .185 to .252 .253 to .305 .306 to .368



Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.

Attributes

- Name: [REDDING TITANIUM NITRIDE BUSHING/.341](#)
- Manufacturer: [REDDING](#)
- Product no.: 749003454
- Mfr. No.: 76341
- Diameter (in): .341
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760763410

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS
- About Us

Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS

Introduction

Thank you for choosing the TITANIUM NITRIDE NECK BUSHINGS by REDDING. This guide provides essential safety instructions to ensure the safe use, installation, and disposal of the product. Please read this guide carefully before using the bushings.

General Safety Guidelines

- Ensure that the bushings are used in accordance with the manufacturer's specifications to avoid any hazards.
- Always inspect the bushings for any signs of damage or wear before use.
- Keep the bushings out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE) such as gloves and safety goggles when handling the bushings.
- Avoid using the bushings beyond their specified size range of .185" to .368".
- Do not attempt to modify or alter the bushings in any way.
- Ensure that the bushings are properly lubricated to reduce sizing friction and wear.
- Store the bushings in a dry and safe place to prevent corrosion or damage.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting the installation.
- Ensure the working area is clean and free from any hazards.

2. Installation:

- Select the appropriate bushing size based on your requirements (refer to the last three digits of the part number #RD76XXX).
- Carefully insert the bushing into the designated area, ensuring a snug fit.
- If necessary, apply a suitable lubricant to facilitate smooth operation.

3. Usage:

- Use the bushings strictly for their intended purpose.
- Monitor the performance of the bushings during use and check for any signs of wear or damage.
- If any issues arise, cease use immediately and inspect the bushings.

Disposal Instructions

- Dispose of the bushings in accordance with local regulations regarding metal waste.
- Do not dispose of the bushings in regular household waste.
- Consider recycling the bushings to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or additional support regarding the TITANIUM NITRIDE NECK BUSHINGS, please refer to your local supplier or the manufacturer's website for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your TITANIUM NITRIDE NECK BUSHINGS. Thank you for prioritizing safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk