

TITANIUM NITRIDE NECK BUSHINGS - REDDING TITANIUM NITRIDE BUSHING/.260

[Reloading](#) > [Reloading Dies](#) > [Neck Size Bushings](#)

Heat treated steel bushings as above, but with the addition of a Titanium Nitride coating to further increase the effective surface hardness and reduce sizing friction. Bushings are available throughout the range of .185" thru .368" in .001" increments. The last three digits of the part (#RD76XXX) denotes bushing size. .185 to .252 .253 to .305 .306 to .368

Determining Redding Bushing Size

The proper bushing size can be easily determined by measuring the outside neck diameter of your loaded cartridges with a precision micrometer or a dial caliper. Then, simply subtract .001" from the cartridge that had the smallest average neck diameter. This diameter bushing will generally size case necks just enough to create the proper press fit for the bullet.

If you are using a Type "S" style die and not turning the outside of your case necks, we suggest using a bushing .002" smaller than your smallest average neck diameter, and using the expander ball included with your Type "S" die. This size bushing will still give you minimal sizing (maximizing the life of your brass) and the expander ball will insure that each cartridge has the same bullet grip.

Redding has found that when you have cases with neck wall thicknesses on the thin side of the SAAMI tolerance, your fired case will measure considerably larger (.006" to .010" larger) than your loaded rounds. In these circumstances, Redding's tests have shown that a bushing .001" larger (than the loaded round) may give you the desired bullet grip.



Attributes

- Name: [REDDING TITANIUM NITRIDE BUSHING/.260](#)
- Manufacturer: [REDDING](#)
- Product no.: 749003498
- Mfr. No.: 76260
- Diameter (in): .260
- Delivery weight: 0.045kg
- Shipping height: 3mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760762604

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS](#)
- [About Us](#)

Safety Instruction Guide for TITANIUM NITRIDE NECK BUSHINGS

Introduction

Thank you for choosing the TITANIUM NITRIDE NECK BUSHINGS by REDDING. This guide provides important safety instructions and information to ensure the safe use of this product. Please read this guide carefully before using the bushings.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the TITANIUM NITRIDE NECK BUSHINGS by following all instructions.
- **Enhanced Recalls:** Be aware of the procedures for product recalls and available remedies for dangerous products.
- **Online Shopping:** If purchased online, ensure that the platform meets safety requirements.
- **Special Consumer Focus:** Extra care should be taken when used by or around vulnerable groups, such as children.
- **EU Contact Point:** For any safety inquiries, refer to the EU-based contact point provided by the manufacturer.
- **Rapid Alerts:** Stay informed about any updates on unsafe products via the EU's Safety Gate system.

Specific Safety Precautions for Use

- Always inspect the bushings for any signs of damage before use.
- Ensure that the bushings are compatible with your specific application.
- Use appropriate protective gear, such as gloves and safety glasses, when handling and installing the bushings.
- Do not exceed the specified diameter range of .185" to .368" when selecting bushings.
- Avoid using the bushings in conditions that exceed the manufacturer's recommendations for temperature and pressure.

Instructions for Installation and Usage

1. **Preparation:** Gather all necessary tools and safety equipment before starting the installation.
2. **Inspection:** Check the bushings for any defects or irregularities. Do not use damaged bushings.
3. **Installation:**
 - Ensure the area is clean and free from debris.
 - Align the bushing with the designated part, ensuring a snug fit.
 - Use appropriate tools to secure the bushing in place, following the manufacturer's specifications.
4. **Usage:**
 - Operate the equipment within the recommended specifications to avoid excessive wear on the bushings.
 - Regularly check the bushings during use for any signs of wear or damage.
5. **PostUsage Care:**
 - Clean the bushings after use to prevent buildup of debris and contaminants.
 - Store the bushings in a dry and safe place when not in use.

Disposal Instructions

- Dispose of any damaged or worn bushings according to local regulations.
- Do not dispose of bushings in regular household waste.
- Check with local waste management authorities for specific disposal guidelines related to metal products.

Contact Information for Further Support

For any questions or concerns regarding the TITANIUM NITRIDE NECK BUSHINGS, please refer to the manufacturer's contact information provided with your purchase.

By following these safety instructions, you can ensure the safe and effective use of the TITANIUM NITRIDE NECK BUSHINGS. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk