

SEATER DIES - REDDING SEATER DIE 7MM TCU

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Redding Seating Die includes bullet guide, built-in crimp ring and the proper seating plug. All dies are made using the finest alloy steels obtainable and machined on Hardinge Super-Precision lathes capable of holding the tightest tolerances in the industry. Heat treated in atmospherically controlled furnaces and hand polished for smooth, flawless functioning, these dies will maintain tolerances and last a lifetime. Inspected and ultrasonically cleaned before packaging.



Attributes

- Name: [REDDING SEATER DIE 7MM TCU](#)
- Manufacturer: [REDDING](#)
- Product no.: 749005198
- Mfr. No.: 92242
- Cartridge: 7 mm TCU
- Die Style: Bullet Seating Dies
- Delivery weight: 0.249kg
- Shipping height: 41mm
- Shipping width: 58mm
- Shipping length: 132mm
- UPC: 611760922428

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Redding Seater Die 7mm TCU](#)
- [About Us](#)

Safety Instruction Guide for Redding Seater Die 7mm TCU

Introduction

Thank you for choosing the Redding Seater Die 7mm TCU. This guide provides essential safety instructions to ensure the safe use and handling of this product. Please read this guide carefully before using the die to minimize risks and ensure a safe experience.

General Safety Guidelines

- Ensure you are familiar with the die and its components before use.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when handling the die.
- Keep the die and all reloading components out of reach of children and unauthorized users.
- Do not use the die for any purpose other than its intended use.
- Regularly inspect the die for any signs of damage or wear. If damaged, discontinue use immediately.
- Follow all manufacturer instructions and guidelines for reloading ammunition safely.

Specific Safety Precautions for Use

- **Hazard Identification:** The Redding Seater Die is designed for reloading ammunition. Improper use can lead to accidents, including misfires or injury.
- **Avoiding Hazards:**
 - Always doublecheck that the die is securely installed before use.
 - Ensure that the work area is clean and free from any distractions.
 - Do not exceed the recommended load specifications for the die.
 - Use the die only with compatible cartridges (7mm TCU).
 - Be cautious of hot surfaces if using with heated components.

Instructions for Installation and Usage

- **Installation:**
 1. Ensure the reloading press is securely mounted and stable.
 2. Remove any existing die from the press.
 3. Carefully screw the Redding Seater Die into the press until it is snug. Do not overtighten.
 4. Insert the appropriate seating plug as per the manufacturer's instructions.
- **Usage:**
 1. Prepare your cartridge cases according to standard reloading practices.
 2. Place a bullet into the cartridge case and position it under the die.
 3. Slowly and steadily pull the press handle to seat the bullet to the desired depth.
 4. Inspect the seated bullet for proper alignment and depth.
 5. Repeat the process for additional cartridges as needed.

Disposal Instructions

- Dispose of any unused or damaged components in accordance with local regulations.
- Do not dispose of the die in regular household waste. Check for local recycling programs or hazardous waste disposal facilities.

Contact Information for Further Support

For any inquiries or concerns regarding the Redding Seater Die, please refer to the manufacturer's website or customer support resources. Ensure you have the product information ready for faster assistance.

By adhering to these safety instructions, you can ensure a safe and effective experience while using the Redding Seater Die 7mm TCU. Always prioritize safety and stay informed about safe reloading practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk