

# ACCUBOND BULLETS - 375 CALIBER (0.375") 260GR SPITZER 50/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Nosler AccuBond bullets are built with a proprietary bonding process that eliminates voids in the bullet core. AccuBond marries Nosler's traditional copper alloy jacket with its special lead alloy core. The polymer tip improves accuracy and ballistic performance. The result is a hunting bullet that flies true, penetrates deep, retains its weight and won't cause extensive fouling. 50 count box.



## Attributes

- Name: [375 CALIBER \(0.375"\) 260GR SPITZER 50/BOX](#)
- Manufacturer: [NOSLER](#)
- Product no.: 749005435
- Mfr. No.: 54413
- Ballistic Coefficient (G1): 0.473
- Brand Style: AccuBond
- Bullet Style: Spitzer
- Caliber: 375 Caliber
- Diameter (Breech): 0.375
- Diameter (in): 0.375
- Grain: 260
- Sectional Density: 0.264
- Quantity: 50
- Delivery weight: 0.726kg
- Shipping height: 46mm
- Shipping width: 61mm
- Shipping length: 91mm
- UPC: 054041544139

## Item details

Made in USA

US export classification: 0A505.x

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Nosler AccuBond Bullets](#)
- [About Us](#)

# Safety Instruction Guide for Nosler AccuBond Bullets

## Introduction

Thank you for choosing Nosler AccuBond Bullets. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read all information carefully to minimize risks and enhance your experience.

## General Safety Guidelines

- Always handle ammunition with care and respect.
- Store ammunition in a cool, dry place, away from direct sunlight and moisture.
- Keep ammunition out of reach of children and unauthorized persons.
- Use only in firearms that are designed for the specific caliber and type of bullet.
- Always wear appropriate eye and ear protection when using firearms.
- Be aware of your surroundings and follow all local laws and regulations regarding firearm use.

## Specific Safety Precautions for Use

- Inspect each bullet before use for any signs of damage or defects.
- Do not attempt to modify or disassemble the bullets.
- Ensure that your firearm is in good working condition and properly maintained.
- Follow the manufacturer's loading data and guidelines for safe reloading practices.
- Do not exceed recommended maximum loads.
- Be cautious of the potential for ricochet when shooting in environments with hard surfaces.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure your workspace is clean and free from distractions.
- Gather all necessary equipment including your firearm, ammunition, and safety gear.

### 2. Loading the Firearm:

- Open the action of your firearm.
- Insert the Nosler AccuBond Bullet into the chamber or magazine as per your firearm's specifications.
- Close the action securely.

### 3. Firing:

- Aim your firearm in a safe direction.
- Ensure the area is clear of people and obstacles.
- Squeeze the trigger gently to fire.

### 4. PostFiring:

- After firing, ensure the firearm is unloaded before handling or cleaning.
- Store any remaining bullets in a secure location.

## **Disposal Instructions**

- Dispose of any damaged or unused bullets according to local regulations.
- Do not throw bullets in regular trash.
- Contact local authorities or waste disposal facilities for guidance on safe disposal methods.

## **Contact Information for Further Support**

For any safety inquiries or additional information regarding Nosler AccuBond Bullets, please reach out to the designated EU contact point provided with your product packaging or visit the official website.

## **Conclusion**

By following these safety instructions, you can ensure a safer experience with Nosler AccuBond Bullets. Always prioritize safety and compliance with local laws when handling ammunition. Thank you for your attention to these important guidelines.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)