

# A-MAX BULLETS - A-MAX .50 CAL. (0.510") 750GR ALUMINUM TIP BOAT TAIL 20/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Hornady A-MAX bullets are manufactured using Hornady's Advanced Manufacturing Process (AMP). This allows for the best ballistic coefficient possible. The Secant Ogive Profile delivers low drag and flat trajectories. Swaged lead core provides uniformity and consistency. These BTHP bullets allow for unmatched accuracy at long distances.



## Attributes

- Name: [A-MAX .50 CAL. \(0.510"\) 750GR ALUMINUM TIP BOAT TAIL 20/BOX](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749005649
- Mfr. No.: 5165
- Ballistic Coefficient (G1): 1.050
- Brand Style: A-Max
- Bullet Style: A-Max
- Bullet Weight (Grains): -
- Caliber: 50 Caliber
- Diameter (Breech): 0.510
- Diameter (in): 0.510
- Grain: 750
- Sectional Density: 0.412
- Quantity: 20
- Delivery weight: 1.021kg
- Shipping height: 36mm
- Shipping width: 71mm
- Shipping length: 165mm
- UPC: 090255251654

## Item details

Made in USA

US export classification: 0A505.x

# Table of Contents

- Startpage
- [AMAX Bullets Safety Instruction Guide](#)
- About Us

# AMAX Bullets Safety Instruction Guide

## Introduction

Thank you for choosing the AMAX .50 Caliber (0.510") 750GR Aluminum Tip Boat Tail bullets manufactured by Hornady. This guide provides important safety instructions and guidelines to ensure the safe use of this product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the product.

## General Safety Guidelines

- Ensure that all users of this product are aware of the safety guidelines outlined in this document.
- Always handle ammunition with care and caution.
- Keep ammunition out of reach of children and unauthorized users.
- Store ammunition in a cool, dry place, away from direct sunlight and moisture.
- Regularly check for recalls or safety notices related to this product on the EU's Safety Gate platform.
- Report any unsafe products or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Always use this product in accordance with the manufacturer's specifications.
- Wear appropriate safety gear, including eye and ear protection, when handling or using ammunition.
- Ensure that your firearm is compatible with .50 caliber ammunition before use.
- Do not exceed the recommended load data provided by the firearm manufacturer.
- Avoid using damaged or deformed bullets, as they may pose a safety risk.
- Ensure that the shooting area is clear of bystanders and obstacles.

## Instructions for Installation and Usage

### 1. Preparation:

- Confirm that the firearm is unloaded before loading ammunition.
- Inspect the bullet for any visible defects or damage.

### 2. Loading:

- Follow the firearm manufacturer's instructions for loading ammunition.
- Insert the AMAX bullets into the magazine or chamber as specified.

### 3. Firing:

- Position yourself in a stable shooting stance.
- Ensure that the firearm is pointed in a safe direction at all times.
- Squeeze the trigger gently to fire the bullet.

### 4. PostUse:

- After use, clean your firearm according to the manufacturer's instructions.
- Store any remaining ammunition safely and securely.

## Disposal Instructions

- Dispose of any unused or damaged ammunition in accordance with local regulations.
- Do not dispose of ammunition in regular household waste.

- Contact local authorities for proper disposal methods.

## **Contact Information for Further Support**

For any safety inquiries or concerns regarding this product, please refer to the EU contact point for assistance.

Thank you for prioritizing safety while using AMAX bullets. Your adherence to these guidelines helps ensure a safe shooting experience for everyone.

# About Us

## **Brownells Česká republika**

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)