

CHAMBER TYPE BULLET SEATER DIES - 6.5MM GRENDEL BULLET SEATING DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Wilson chamber type bullet seater is a favorite among benchrest shooters. A chamber type bullet seater positively controls both bullet and cartridge case alignment. The case and bullet are completely captured by the die prior to the bullet being pushed straight into the case by a close-fitting seating stem. This style of bullet seater works more accurately than a conventional 7/8 inch to 14 bullet seating die. This is one of the most accurate bullet seaters ever made!



Attributes

- Name: [6.5MM GRENDEL BULLET SEATING DIE](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749006069
- Mfr. No.: BS65-GRN
- Cartridge: 6.5 Grendel
- Die Style: Bullet Seating Dies
- Delivery weight: 0.386kg
- Shipping height: 41mm
- Shipping width: 43mm
- Shipping length: 150mm
- UPC: 815145021670

Item details

Made in USA

Table of Contents

- Startpage
- CHAMBER TYPE BULLET SEATER DIES 6.5MM GRENDEL BULLET SEATING DIE Safety Instruction Guide
- About Us

CHAMBER TYPE BULLET SEATER DIES 6.5MM GRENDEL BULLET SEATING DIE Safety Instruction Guide

Introduction

Thank you for choosing the CHAMBER TYPE BULLET SEATER DIES 6.5MM GRENDEL BULLET SEATING DIE by L.E. WILSON. This product is designed for precision bullet seating, particularly favored by benchrest shooters. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always wear appropriate safety gear, including eye protection and gloves, when handling reloading equipment.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of damage or wear before use.
- Follow all local laws and regulations regarding the use and storage of reloading equipment and components.
- In case of any malfunction or accident, report it to the appropriate authorities and check for updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the bullet seating die only with compatible cartridges (6.5 Grendel).
- Ensure that the die is securely mounted to your reloading press before use.
- Keep fingers and other body parts clear of the die's moving parts during operation.
- Avoid using excessive force when seating bullets, as this may cause misalignment or damage to the die.
- Do not exceed the recommended load limits for the cartridges being used.
- Store the die in a dry, cool place when not in use to prevent corrosion or damage.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is compatible with the bullet seating die.
- Securely mount the bullet seating die onto the reloading press according to the manufacturer's instructions.
- Adjust the die to the desired seating depth, ensuring that it is locked in place.

2. Usage:

- Place an empty cartridge case into the die.
- Insert a bullet into the case mouth, ensuring it is properly aligned.
- Engage the reloading press handle to push the bullet into the case.
- Monitor the seating process closely to ensure proper alignment and depth.
- After seating, remove the cartridge from the die and inspect it for accuracy.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal and plastic waste.
- Do not dispose of the product in regular household waste.
- Contact local waste management services for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the CHAMBER TYPE BULLET SEATER DIES 6.5MM GRENDEL BULLET SEATING DIE, please refer to the EUbased contact provided by the manufacturer for safety inquiries.

By following these safety instructions, you can ensure a safer reloading experience. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at