

SEATER DIES - REDDING SEATER DIE 300-221 REMINGTON

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Redding Seating Die includes bullet guide, built-in crimp ring and the proper seating plug. All dies are made using the finest alloy steels obtainable and machined on Hardinge Super-Precision lathes capable of holding the tightest tolerances in the industry. Heat treated in atmospherically controlled furnaces and hand polished for smooth, flawless functioning, these dies will maintain tolerances and last a lifetime. Inspected and ultrasonically cleaned before packaging.



Attributes

- Name: [REDDING SEATER DIE 300-221 REMINGTON](#)
- Manufacturer: [REDDING](#)
- Product no.: 749006245
- Mfr. No.: 92432
- Cartridge: 300 Whisper
- Die Style: Bullet Seating Dies
- Delivery weight: 0.227kg
- Shipping height: 41mm
- Shipping width: 58mm
- Shipping length: 132mm
- UPC: 611760924323

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [SEATER DIES REDDING SEATER DIE 300221 REMINGTON Safety Instruction Guide](#)
- [About Us](#)

SEATER DIES REDDING SEATER DIE 300221

REMINGTON Safety Instruction Guide

Introduction

Thank you for choosing the Redding Seating Die 300221 Remington. This guide provides important safety instructions to ensure the safe and effective use of this product. Please read and follow these instructions carefully to minimize risks and ensure optimal performance.

General Safety Guidelines

- Ensure that all users are familiar with the operation and safety features of the die.
- Always wear appropriate personal protective equipment (PPE), including safety glasses and gloves, when using this product.
- Keep the work area clean and well-lit to prevent accidents.
- Store the die in a dry, secure location away from children and unauthorized users.
- Regularly inspect the die for any signs of wear or damage before use. Do not use if damaged.

Specific Safety Precautions for Use

- **Hazard Identification:**

- The die is designed for use with specific cartridges (300 Whisper). Using incorrect cartridges can lead to malfunctions or accidents.
- Improper handling of the die can cause injury. Always handle with care.

- **Avoiding Hazards:**

- Do not exceed the manufacturer's recommended load limits.
- Ensure that the seating plug is properly adjusted before use to avoid misfires or damage.
- Never attempt to modify the die or its components.

- **Age Restrictions:**

- This product is intended for use by individuals aged 18 and older. Ensure that younger users are supervised by a qualified adult.

Instructions for Installation and Usage

- **Installation:**

1. Secure the die in the reloading press according to the manufacturer's instructions.
2. Ensure the die is tightened properly to prevent movement during operation.
3. Attach the bullet guide and ensure it is aligned correctly.

- **Usage:**

1. Prepare your cartridge case according to standard reloading practices.
2. Insert the cartridge case into the die.
3. Adjust the seating plug to the desired depth based on your reloading specifications.
4. Operate the press slowly and steadily to seat the bullet.
5. Inspect the finished cartridge to ensure proper seating and crimping.

Disposal Instructions

- Dispose of any unused or damaged components of the die in accordance with local regulations.
- Do not dispose of in regular household waste. Check for local hazardous waste disposal options.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please refer to the official website or contact your local distributor. Always ensure that you have the product details ready for any support request.

Thank you for your attention to these safety guidelines. Your safety is our priority, and by following these instructions, you can ensure a safe and effective reloading experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk