

COMPETITION SEATER DIES - REDDING 270 WSM BULLET SEATING DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

We feel the Redding Competition Bullet Seater is the best bullet 7/8-14 bullet seater on the market today. The machining is precise, and the sliding chamber is the smoothest we have ever experienced in a seater. This micrometer-adjustable die is calibrated in .001"" increments for precise seating depth adjustments and is infinitely adjustable (no clicks). It also has a zero set feature that allows you to zero the micrometer to your favorite seating depth. Sold separately or as part of a set. Also available for handgun and straight wall cartridges.



Attributes

- Name: [REDDING 270 WSM BULLET SEATING DIE](#)
- Manufacturer: [REDDING](#)
- Product no.: 749007722
- Mfr. No.: 55255
- Cartridge: 270 WSM (Winchester Short Mag)
- Die Style: Bullet Seating Dies
- Delivery weight: 0.386kg
- Shipping height: 43mm
- Shipping width: 112mm
- Shipping length: 152mm
- UPC: 611760552557

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for COMPETITION SEATER DIES REDDING 270 WSM BULLET SEATING DIE
- About Us

Safety Instruction Guide for COMPETITION SEATER DIES REDDING 270 WSM BULLET SEATING DIE

Introduction

Thank you for choosing the Redding Competition Bullet Seater for your reloading needs. This product is designed to provide precise bullet seating for the 270 WSM (Winchester Short Mag) cartridge. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Always follow the manufacturer's instructions for safe use.
- Ensure that the workspace is clean, dry, and welllit.
- Keep the product out of reach of children and unauthorized users.
- Use personal protective equipment, such as safety glasses and gloves, when handling reloading equipment and components.
- Regularly inspect the die for signs of wear or damage before use.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the die is compatible with the cartridges you are using.
- Do not exceed the recommended seating depth or pressure limits.
- Avoid using the die in wet or humid conditions.
- Always check that the die is securely attached to the reloading press before use.
- Do not attempt to modify or disassemble the die.
- If you experience any malfunction, stop using the product immediately and seek assistance.

Instructions for Installation and Usage

1. Installation:

- Ensure the reloading press is turned off and unplugged.
- Remove any existing dies from the press.
- Clean the threads of the press and the die to ensure a secure fit.
- Carefully screw the Redding Competition Bullet Seater into the press until snug; do not overtighten.
- Set the die to the desired seating depth using the micrometer adjustment.

2. Usage:

- Prepare your cases and bullets according to standard reloading practices.
- Place a case in the shell holder of the press.
- Insert a bullet into the case mouth.
- Pull the handle of the press to seat the bullet to the desired depth.
- Check the seating depth using a caliper for accuracy.
- Repeat the process for additional cartridges, adjusting the die as necessary.

Disposal Instructions

- Dispose of any unused or damaged components in accordance with local regulations.
- Do not dispose of the die in regular household waste.
- Consider recycling options for metal components where available.

Contact Information for Further Support

For any questions or concerns regarding the Redding Competition Bullet Seater, please refer to the manufacturer's website or customer service for support.

By following these guidelines, you can ensure the safe and effective use of your Redding Competition Bullet Seater. Thank you for prioritizing safety in your reloading practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk