

SINCLAIR CONCENTRICITY GAUGE - SINCLAIR INTERNATIONAL CONCENTRICITY GAUGE WITH DIGITAL INDICATOR

[Reloading](#) > [Measuring Tools](#) > [Concentricity Gauges](#)

We believe the Sinclair Concentricity Gauge is the easiest to use and most accurate gauge of its kind on the market. Precision made for a lifetime of use, the Sinclair Concentricity Gauge will accept cases up to 50 BMG. The Sinclair Concentricity Gauge is used to measure runout by rotating the case or loaded round on two sets of bearings that are captured in anodized aluminum blocks. These bearing blocks are adjustable longitudinally to allow for different case lengths or varying lengths of loaded rounds. The handloader can measure sized cases on the neck, and measure loaded rounds on the neck or out on the bullet. The bearing blocks ride in a milled slot in the gauge base plate. This milled slot keeps the blocks in alignment with each other. This arrangement provides the best support for the cartridge, enabling the user to spin the cartridge smoothly. Large thumb levers on the bearing blocks make adjustments quick and easy. The anodized base plate is extremely stable allowing the user to take accurate readings. The indicator tower is designed to permit vertical and side-to-side adjustment of the dial indicator. The mounting block for the dial indicator is designed to accommodate dial indicators with standard 0.375" mounts. This is a quality measuring tool for the serious precision reloader.

We believe the Sinclair Concentricity Gauge is the easiest to use and most accurate gauge of its kind on the market. Precision made for a lifetime of use, the Sinclair Concentricity Gauge will accept cases up to 50 BMG. The Sinclair Concentricity Gauge is used to measure runout by rotating the case or loaded round on two sets of bearings that are captured in anodized aluminum blocks. These bearing blocks are adjustable longitudinally to allow for different case lengths or varying lengths of loaded rounds. The handloader can measure sized cases on the neck, and measure loaded rounds on the neck or out on the bullet. The bearing blocks ride in a milled slot in the gauge base plate. This milled slot keeps the blocks in alignment with each other. This arrangement provides the best support for the cartridge, enabling the user to spin the cartridge smoothly. Large thumb levers on the bearing blocks make adjustments quick and easy. The anodized base plate is extremely stable allowing the user to take accurate readings. The indicator tower is designed to permit vertical and side-to-side adjustment of the dial indicator. The mounting block for the dial indicator is designed to accommodate dial indicators with standard 0.375" mounts. This is a quality measuring tool for the serious precision reloader.



Attributes

- Name: [SINCLAIR INTERNATIONAL CONCENTRICITY GAUGE WITH DIGITAL INDICATOR](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749007902
- Mfr. No.: 09180
- Delivery weight: 0.862kg
- Shipping height: 117mm
- Shipping width: 137mm
- Shipping length: 196mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Sinclair Concentricity Gauge
- About Us

Safety Instruction Guide for Sinclair Concentricity Gauge

Introduction

Thank you for choosing the Sinclair Concentricity Gauge. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this document carefully before using the gauge to understand the necessary precautions and procedures.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the Sinclair Concentricity Gauge by following all instructions provided in this guide.
- **Enhanced Recalls:** In the event of a product recall, standardized notices will be issued. Stay informed about any recalls related to this product.
- **Online Shopping:** When purchasing online, ensure that the platform complies with safety requirements equivalent to those of physical stores.
- **Special Consumer Focus:** This product is intended for adult users. Extra care should be taken to keep it out of reach of children.
- **EU Contact Point:** For any safety inquiries, ensure you have access to an EU-based contact point.
- **Rapid Alerts:** Stay updated on product safety through the EU's Safety Gate system.

Specific Safety Precautions for Use

- Always inspect the gauge before use to ensure it is in good working condition.
- Use the gauge only for its intended purpose, which is measuring the concentricity of cases and loaded rounds.
- Do not exceed the maximum capacity of 50 BMG for cases.
- Ensure that all adjustments to the bearing blocks are made while the gauge is not in use to prevent accidental movement.
- Keep hands and loose clothing away from moving parts during operation.
- Use the gauge on a stable surface to prevent tipping or falling during use.
- If you notice any damage or malfunction, stop using the gauge immediately and consult a professional.

Instructions for Installation and Usage

1. Setup:

- Place the Sinclair Concentricity Gauge on a flat and stable surface.
- Ensure that the gauge is securely positioned to prevent any movement during use.

2. Adjusting Bearing Blocks:

- Loosen the thumb levers on the bearing blocks.
- Adjust the blocks longitudinally to accommodate the size of the case or loaded round.
- Tighten the thumb levers securely after making adjustments.

3. Measuring Cases:

- Insert the sized case or loaded round into the bearing blocks.
- Spin the case gently to ensure it is seated correctly.
- Observe the digital indicator for readings of runout.

4. Taking Readings:

- Make sure the indicator tower is adjusted vertically and sidetoside for accurate readings.
- Record the measurements as needed for your reloading process.

5. PostUse Care:

- Clean the gauge after use to remove any debris or residue.
- Store the gauge in a dry place away from direct sunlight and moisture.

Disposal Instructions

- When the Sinclair Concentricity Gauge reaches the end of its life, dispose of it in accordance with local regulations for electronic waste.
- Do not dispose of the product in regular household waste.
- Consider recycling components where possible.

Contact Information for Further Support

For assistance or inquiries regarding the Sinclair Concentricity Gauge, please refer to the official website or contact your local retailer.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priority. Enjoy using your Sinclair Concentricity Gauge!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk