

SINCLAIR GENERATION II ALL-PURPOSE WINDAGE TOPS - ALL-PURPOSE SHOOTING REST LEFT HAND WINDAGE TOP

[Shooting Accessories](#) > [Shooting Rests](#) > [Rifle Rests](#)

Our Sinclair Windage Rest Tops have completely lateral movement windage adjustment and all of the upgraded features found on our non-windage rest tops. Our Windage Rest Tops feature 46 inches of adjustment to 100 yards (23 inches at 500 yards) and are tested at the time of manufacture with 17 lbs of forend weight. Available for right and left-handed shooters and includes a one fourth inch - twenty screw to mount to our Sinclair rest post or any other rest post with one fourth inch - twenty mounting threads. The All-Purpose (A/P) Windage Top model is designed to accept a wide variety of stock forends and will easily adjust to accommodate the narrowest of hunting stock forends up to the 3-1/2 forends of some specialty stocks. The A/P Windage Top has quick adjust levers on the side plates to squeeze our dual-sided (leather/Cordura) sandbag (included - not filled). The adjustable side plates allow the bag to wrap around the forend, creating a channel in which the rifle can recoil consistently. The forend stop can be positioned to accommodate both fore/aft and left/right stock contact. For an upgrade to even more adjustability, it can be easily replaced with our Competition Forend Stop (#749-101-026). Available for right and left-handed shooters and include a 1/4"-20 screw to mount to our Sinclair rest posts or any other rest post with 1/4"-20 mounting threads. NOTE: Right handed rest adjusts on the left side and left handed rest adjusts on the right side.



Attributes

- Name: [ALL-PURPOSE SHOOTING REST LEFT HAND WINDAGE TOP](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749008027
- Mfr. No.: 049900
- Style: Rest Top
- Delivery weight: 1.066kg
- Shipping height: 196mm
- Shipping width: 183mm
- Shipping length: 244mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Sinclair Generation II AllPurpose Windage Tops
- About Us

Safety Instruction Guide for Sinclair Generation II AllPurpose Windage Tops

Introduction

Thank you for choosing the Sinclair Generation II AllPurpose Windage Tops. This product is designed to enhance your shooting experience while ensuring safety and ease of use. Please read this safety instruction guide carefully to understand the necessary precautions and proper usage of the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms and shooting equipment with care.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage.
- Follow all local laws and regulations regarding firearm use and safety.
- Report any unsafe product conditions or accidents to the appropriate authorities.
- Stay informed about recalls and safety updates via the EU Safety Gate platform.

Specific Safety Precautions for Use

- Always use the Windage Tops in a safe environment, away from people and animals.
- Ensure the firearm is unloaded before attaching or adjusting the Windage Top.
- Do not exceed the recommended forend weight of 17 lbs during use.
- Adjust the side plates and forend stop carefully to avoid pinching or injury.
- When using the adjustable side plates, ensure they are securely fastened before use.
- Be cautious while using the quick adjust levers; ensure your fingers are clear of moving parts.
- If you notice any malfunction or irregularity during use, discontinue use immediately and inspect the product.

Instructions for Installation and Usage

1. Installation:

- Ensure that the Sinclair Windage Rest is on a stable surface.
- Use the provided 1/4"20 screw to securely mount the Windage Top to the Sinclair rest post or any compatible rest post.
- Tighten the screw adequately to avoid any movement during use.

2. Adjusting the Windage Top:

- To adjust for lateral movement, use the windage adjustment feature to achieve the desired alignment.
- Forend stop can be positioned to accommodate both fore/aft and left/right stock contact.
- Utilize the quick adjust levers on the side plates to adjust the sandbag position as needed.
- Ensure the sandbag wraps securely around the forend to create a stable channel for recoil.

3. Using the Windage Top:

- Place your firearm in the channel created by the sandbag.
- Ensure that the firearm is stable and secure before taking any shots.
- After use, carefully remove the firearm and store the Windage Top in a safe location.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the product is no longer usable or safe, consider recycling components where applicable.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For safety inquiries or additional support regarding the Sinclair Generation II AllPurpose Windage Tops, please refer to the appropriate contact resources available in your region.

By following these guidelines, you can ensure a safer and more enjoyable shooting experience with your Sinclair Windage Rest Tops. Thank you for your attention to safety and responsible use.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at