

SINCLAIR STAINLESS STEEL PILOTS - SINCLAIR INTERNATIONAL PILOT STOP, STAINLESS STEEL, 422 CALIBER

[Reloading](#) > [Case Preparation](#) > [Flash Hole Tool Pilots](#)

We manufacture pilots for our flash hole tool and our Neck Thickness/Variance Gauge. Our pilots are precision machined from stainless steel on CNC turning centers to properly fit new, unfired case necks. Available for rifle and pistol cartridges from 22 thru 45 caliber. Not for use on .50 BMG. 50 BMG flash hole diameter is larger.



Attributes

- Name: [SINCLAIR INTERNATIONAL PILOT STOP, STAINLESS STEEL, 422 CALIBER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749008625
- Mfr. No.: X6422
- Caliber: 404 Jeffery (.422-.423)
- Delivery weight: 0.023kg
- Shipping height: 1mm
- Shipping width: 85mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for Sinclair Stainless Steel Pilots
- About Us

Safety Instruction Guide for Sinclair Stainless Steel Pilots

Introduction

Thank you for choosing the Sinclair Stainless Steel Pilots. This guide provides essential safety instructions to ensure the safe and effective use of our products. It is important to read and understand this guide before using the pilots.

General Safety Guidelines

- Ensure you are using the correct caliber for your application. The Sinclair Stainless Steel Pilots are designed for rifle and pistol cartridges from .22 to .45 caliber, excluding .50 BMG.
- Always inspect the pilots for any signs of damage or wear before use.
- Keep the pilots out of reach of children and vulnerable individuals to prevent accidental injury.
- Use the pilots only for their intended purpose as specified in this guide.
- Report any unsafe products or accidents to the relevant authorities and check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the pilots.
- Ensure the work area is clean and free from obstructions to prevent accidents.
- Do not attempt to modify or alter the pilots in any way.
- When using the pilots with tools, follow the manufacturer's instructions for the tools to avoid injury.
- Ensure that the flash hole tool and Neck Thickness/Variance Gauge are properly calibrated before use.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure that your work area is welllit and organized.

2. Installation:

- Select the appropriate pilot for your cartridge caliber.
- Insert the pilot into the flash hole tool or Neck Thickness/Variance Gauge according to the manufacturer's instructions.
- Ensure the pilot is securely in place before proceeding.

3. Usage:

- Follow the specific instructions for the tool you are using the pilot with.
- Apply consistent and moderate pressure when using the pilots to avoid damaging the cartridge case.
- After use, carefully remove the pilot and clean it according to the maintenance guidelines.

4. PostUsage:

- Inspect the pilots for any signs of wear or damage after each use.
- Store the pilots in a safe and dry location, away from direct sunlight and moisture.

Disposal Instructions

- Dispose of any damaged or worn pilots in accordance with local regulations.
- Do not dispose of pilots in regular household waste. Check with local authorities for appropriate disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, usage, or support related to the Sinclair Stainless Steel Pilots, please contact the designated EUbased contact point for assistance.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk