

# ACCUBOND LONG RANGE 270 CALIBER (0.277") SPITZER BULLETS - NOSLER 270 CALIBER (0.277") 100GR SPITZER 50/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

The design of the AccuBond®-LR allows for the highest B.C. possible in a bullet of the same caliber and weight. Designed with an optimum performance window ranging from 3,200fps to 1,300fps, the unique tapered jacket geometry and proprietary bonding process of the AccuBond®-LR allow it to expand rapidly for effective energy transfer and significant tissue damage while retaining sufficient weight to ensure deep penetration into the vitals. The AccuBond® bonding process allows the AccuBond®-LR to perform reliably on game throughout the entire velocity range, eliminating the problem of being "too close" often encountered with other high-B.C. bullets. The high-performance boat tail, long ogive, and polymer tip combine to make the AccuBond®-LR the sleekest, flattest-shooting, bonded, hunting bullet ever created. The ogive of the AccuBond®-LR is designed to provide excellent accuracy in a wide variety of firearms without the necessity of being loaded close to or in contact with the lands. The AccuBond®-LR will be packaged in 100 count boxes, and will initially be available in the following calibers and weights.



## Attributes

- Name: [NOSLER 270 CALIBER \(0.277"\) 100GR SPITZER 50/BOX](#)
- Manufacturer: [NOSLER](#)
- Product no.: 749009103
- Mfr. No.: 57845
- Ballistic Coefficient (G1): 0.323
- Brand Style: Accubond Long Range
- Bullet Style: Spitzer
- Caliber: 270 Caliber
- Diameter (Breech): 0.277
- Diameter (in): 0.277
- Grain: 100
- Sectional Density: 0.186
- Quantity: 50
- Delivery weight: 0.34kg
- Shipping height: 46mm
- Shipping width: 61mm
- Shipping length: 91mm
- UPC: 054041578455

## Item details

Made in USA

US export classification: 0A505.x

# Table of Contents

- Startpage
- ACCUBOND LONG RANGE 270 CALIBER SPITZER BULLETS Safety Instruction Guide
- About Us

# ACCUBOND LONG RANGE 270 CALIBER SPITZER BULLETS Safety Instruction Guide

## Introduction

Thank you for choosing the AccuBond Long Range 270 Caliber (0.277") Spitzer Bullets by Nosler. This guide provides essential safety instructions to ensure the safe use of this product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before use.

## General Safety Guidelines

- Ensure that you are familiar with the handling and usage of ammunition and firearms before using this product.
- Always treat all ammunition as if it is live and capable of firing.
- Store bullets in a cool, dry place, away from direct sunlight and moisture.
- Keep ammunition out of reach of children and unauthorized individuals.
- Regularly check for any visible signs of damage or defects in the bullets before use.
- Dispose of any damaged or defective bullets according to local regulations.

## Specific Safety Precautions for Use

- Always use the appropriate firearm that is compatible with 270 caliber ammunition.
- Wear appropriate eye and ear protection when shooting.
- Ensure that the firearm is in good working condition and has been properly maintained.
- Follow all local laws and regulations regarding the use of firearms and ammunition.
- Do not exceed the recommended load specifications for your firearm.
- Avoid using the bullets in environments where there may be a risk of ricochet or unintended discharge.

## Instructions for Installation and Usage

- Carefully read your firearm's owner's manual for specific loading instructions.
- Ensure the firearm is pointed in a safe direction before loading.
- Load the bullets into the firearm according to the manufacturer's instructions.
- Always check that the firearm is unloaded when not in use.
- When ready to shoot, ensure that the shooting area is clear of people and obstacles.
- After shooting, handle the firearm with care and follow proper unloading procedures.

## Disposal Instructions

- Dispose of any unused or expired bullets in accordance with local regulations.
- Do not throw bullets in regular trash. Contact local authorities for proper disposal methods.
- Ensure that all spent casings and bullet remnants are collected and disposed of responsibly.

## Contact Information for Further Support

For any inquiries regarding safety or product information, please contact your local distributor or refer to the manufacturer's website for additional support.

By following these guidelines, you can help ensure your safety and the safety of those around you while using the AccuBond Long Range 270 Caliber (0.277") Spitzer Bullets. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)