

CASE TRIMMER CARBIDE CUTTER UPGRADE KIT - CARBIDE CUTTER UPGRADE KIT FOR L.E. WILSON TRIMMERS

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Trimmer Accessories](#)

The Sinclair Trimmer Carbide Cutter Upgrade Kit features a carbide cutter and ergonomic crank handle for quick, clean and comfortable cuts. The cutter will stay sharp for as long as you own it. Works with all L.E. Wilson and Sinclair case trimmers. Includes carbide cutter and handle.



Attributes

- Name: [CARBIDE CUTTER UPGRADE KIT FOR L.E. WILSON TRIMMERS](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749009253
- Mfr. No.:
- Caliber: Universal
- Delivery weight: 0.181kg
- Shipping height: 36mm
- Shipping width: 74mm
- Shipping length: 114mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for the CASE TRIMMER CARBIDE CUTTER UPGRADE KIT
- About Us

Safety Instruction Guide for the CASE TRIMMER CARBIDE CUTTER UPGRADE KIT

Introduction

Thank you for choosing the CASE TRIMMER CARBIDE CUTTER UPGRADE KIT for your L.E. Wilson trimmer. This upgrade kit is designed to enhance your trimming experience with a carbide cutter and ergonomic crank handle. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that you are familiar with the operation of your trimmer before using the upgrade kit.
- Always wear appropriate personal protective equipment (PPE) such as safety goggles and gloves when using the trimmer.
- Keep the work area clean and welllit to prevent accidents.
- Do not use the product for any purpose other than its intended use.
- Ensure that children and pets are kept at a safe distance while using the trimmer.
- In case of any malfunction or damage to the product, cease use immediately and consult the manufacturer.

Specific Safety Precautions for Use

- **Cutting Hazards:** The carbide cutter is sharp. Handle it with care to avoid cuts.
- **Ergonomic Use:** Use the crank handle with both hands to maintain control and prevent strain.
- **Stability:** Ensure the trimmer is placed on a stable surface to prevent tipping or sliding during use.
- **Maintenance:** Regularly inspect the cutter for wear. Replace it if it shows signs of damage or dullness.
- **Cleaning:** Disconnect the trimmer from the power source before cleaning. Use a soft cloth to clean the cutter and handle.

Instructions for Installation and Usage

1. Installation:

- Disconnect your trimmer from any power source.
- Remove the existing cutter from your L.E. Wilson trimmer by following the manufacturer's instructions.
- Carefully attach the new carbide cutter from the upgrade kit to the trimmer, ensuring it is securely fitted.
- Attach the ergonomic crank handle to the designated area of the trimmer.

2. Usage:

- Before trimming, ensure your workspace is organized and free of obstructions.
- Hold the trimmer firmly with one hand and use the crank handle with the other hand to operate the cutter.
- Apply even pressure while trimming to achieve clean cuts.
- After use, clean the trimmer and store it in a safe place.

Disposal Instructions

- Dispose of the carbide cutter and any packaging materials in accordance with local regulations.
- Do not dispose of the cutter in regular household waste due to its sharpness and potential hazards.

- Contact your local waste disposal service for information on hazardous waste disposal.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the manufacturer's contact details available on the product packaging or the official website.

By following these guidelines, you can ensure a safe and efficient experience with your CASE TRIMMER CARBIDE CUTTER UPGRADE KIT. Always prioritize safety and reach out for assistance if needed. Thank you for your attention to these important instructions.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at