

# SINCLAIR GENERATION II ALL-PURPOSE WINDAGE TOPS - ALL-PURPOSE SHOOTING REST RIGHT HAND WINDAGE TOP

[Shooting Accessories](#) > [Shooting Rests](#) > [Rifle Rests](#)

Our Sinclair Windage Rest Tops have completely lateral movement windage adjustment and all of the upgraded features found on our non-windage rest tops. Our Windage Rest Tops feature 46 inches of adjustment to 100 yards (23 inches at 500 yards) and are tested at the time of manufacture with 17 lbs of forend weight. Available for right and left-handed shooters and includes a one fourth inch - twenty screw to mount to our Sinclair rest post or any other rest post with one fourth inch - twenty mounting threads. The All-Purpose (A/P) Windage Top model is designed to accept a wide variety of stock forends and will easily adjust to accommodate the narrowest of hunting stock forends up to the 3-1/2 forends of some specialty stocks. The A/P Windage Top has quick adjust levers on the side plates to squeeze our dual-sided (leather/Cordura) sandbag (included - not filled). The adjustable side plates allow the bag to wrap around the forend, creating a channel in which the rifle can recoil consistently. The forend stop can be positioned to accommodate both fore/aft and left/right stock contact. For an upgrade to even more adjustability, it can be easily replaced with our Competition Forend Stop (#749-101-026). Available for right and left-handed shooters and include a 1/4"-20 screw to mount to our Sinclair rest posts or any other rest post with 1/4"-20 mounting threads. NOTE: Right handed rest adjusts on the left side and left handed rest adjusts on the right side.



## Attributes

- Name: [ALL-PURPOSE SHOOTING REST RIGHT HAND WINDAGE TOP](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749009629
- Mfr. No.: 045500
- Style: Rest Top
- Delivery weight: 1.043kg
- Shipping height: 191mm
- Shipping width: 198mm
- Shipping length: 241mm

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for Sinclair Generation II AllPurpose Windage Tops
- About Us

# Safety Instruction Guide for Sinclair Generation II AllPurpose Windage Tops

## Introduction

Thank you for choosing the Sinclair Generation II AllPurpose Windage Tops. This product is designed to enhance your shooting experience while ensuring safety during use. Please read this safety instruction guide carefully before using the product to ensure safe operation and maintenance.

## General Safety Guidelines

- Ensure that all users are familiar with the product and its features before use.
- Always use the product in a safe and controlled environment.
- Regularly inspect the product for any signs of wear or damage before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates via the EU Safety Gate platform.

## Specific Safety Precautions for Use

### • Windage Adjustment:

- Ensure that the windage adjustment mechanism is functioning correctly before use.
- Adjust the windage only when the firearm is unloaded and pointed in a safe direction.

### • Forend Weight:

- Do not exceed the recommended forend weight of 17 lbs during testing.
- Ensure that the forend weight is securely attached before use.

### • Shooting Position:

- Always maintain a stable shooting position to prevent accidents.
- Ensure that the rifle is securely positioned in the rest to avoid slippage.

### • Hand Orientation:

- Use the righthand windage top for righthanded shooters and the lefthand windage top for lefthanded shooters.
- Be aware of the adjustment side when setting up the rest.

### • Sandbag Use:

- Ensure that the included sandbag is properly positioned and secured before use.
- Do not overfill or underfill the sandbag, as this may affect stability.

### • Forend Stop Adjustment:

- Adjust the forend stop only when the firearm is unloaded and pointed in a safe direction.
- Use the Competition Forend Stop for enhanced adjustability as needed.

## Instructions for Installation and Usage

## 1. Installation:

- Select the appropriate windage top (right or lefthanded) based on your shooting preference.
- Use the included 1/4"20 screw to securely attach the windage top to the Sinclair rest post or any compatible rest post.
- Ensure that the connection is tight and stable before proceeding.

## 2. Usage:

- Place the rifle in the shooting rest, ensuring it is securely positioned.
- Adjust the windage using the lateral movement feature as needed.
- Utilize the quick adjust levers to modify the sandbag's position around the forend.
- Adjust the forend stop to ensure proper contact with the stock.

## 3. PostUse Care:

- After use, clean the product as necessary to maintain its condition.
- Store the windage top in a safe, dry location away from children and pets.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for nonfood products.
- If the product is damaged beyond repair, ensure that it is disposed of safely to prevent any potential hazards.

## Contact Information for Further Support

For any inquiries regarding safety, usage, or product support, please contact the relevant authorities or your local Sinclair International representative.

By following these safety instructions, you can ensure a safe and enjoyable shooting experience with your Sinclair Generation II AllPurpose Windage Tops. Always prioritize safety and stay informed about best practices for using shooting equipment.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)