

# TYPE S BUSHING FULL DIES - 6.5MM CREEDMOOR BUSHING FULL LENGTH TYPE S DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

Full Length resizing while maintaining exact control of the case neck is often desirable in one operation. The Redding Type S Bushing Full Length Sizing Dies accomplish this task with the precision you would expect from Redding. Uses the same interchangeable bushings as those used in Redding bushing style neck sizing dies. The adjustable decapping rod allows you to adjust the bushing position, sizing only part of the neck length when desired. Concentricity is enhanced by the ability of the bushing to self-center on the neck of the cartridge case. All Type S dies are supplied with both the standard size button and a decapping pin retainer. By removing the bushing and all internal parts, the Type S Bushing Full Die may also be used as a body die.



## Attributes

- Name: [6.5MM CREEDMOOR BUSHING FULL LENGTH TYPE S DIE](#)
- Manufacturer: [REDDING](#)
- Product no.: 749011209
- Mfr. No.: 77446
- Cartridge: 6.5 Creedmoor
- Die Style: Full Length Sizing Dies
- Delivery weight: 0.34kg
- Shipping height: 44mm
- Shipping width: 112mm
- Shipping length: 152mm
- UPC: 611760774461

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for TYPE S BUSHING FULL DIES 6.5MM CREEDMOOR
- About Us

# Safety Instruction Guide for TYPE S BUSHING FULL DIES 6.5MM CREEDMOOR

## Introduction

Thank you for choosing the TYPE S BUSHING FULL DIES 6.5MM CREEDMOOR. This product is designed to provide precision and control during the reloading process. To ensure safe and effective use, please read this safety instruction guide carefully.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to resize cartridge cases for the 6.5mm Creedmoor.
- Always wear appropriate safety gear, including safety glasses and gloves, when handling reloading equipment.
- Keep the workspace clean and organized to prevent accidents.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage before use.
- Follow all local laws and regulations regarding ammunition reloading.

## Specific Safety Precautions for Use

- Use the die only with compatible cartridge cases to avoid malfunction or accidents.
- Ensure that the bushing is properly installed and secured before use.
- Adjust the decapping rod carefully to avoid damaging the cartridge neck.
- Do not exceed the recommended resizing limits to maintain the integrity of the cartridge case.
- Be aware of the potential for lead exposure when handling spent cartridge cases. Wash hands thoroughly after use.
- If you notice any unusual sounds or resistance during operation, stop using the die immediately and inspect for issues.

## Instructions for Installation and Usage

### Installation

1. **Prepare the Workspace:** Ensure that your reloading area is clean and free of clutter.
2. **Select the Bushing:** Choose the appropriate bushing size for your cartridge case.
3. **Install the Bushing:**
  - Remove the bushing from the die by loosening the retaining screw.
  - Insert the selected bushing into the die and secure it with the retaining screw.
4. **Attach to Press:**
  - Securely mount the die in your reloading press according to the manufacturer's instructions.
  - Ensure that the die is aligned properly to avoid misalignment during resizing.

### Usage

1. **Prepare Cartridge Cases:** Clean and inspect your cartridge cases before resizing.
2. **Adjust Decapping Rod:**
  - Loosen the decapping rod lock nut.
  - Adjust the rod to the desired position and retighten the lock nut.
3. **Resize the Cases:**
  - Insert the cartridge case into the die.
  - Operate the reloading press to resize the case, ensuring smooth operation.
4. **Check Concentricity:** After resizing, check the cartridge case for concentricity to ensure proper

alignment.

5. **Decap the Primer:** If necessary, use the decapping pin to remove the spent primer during the resizing process.

## Disposal Instructions

- Dispose of any damaged or wornout parts in accordance with local regulations.
- Recycle cartridge cases and materials whenever possible.
- Do not dispose of any hazardous materials in regular waste. Follow local guidelines for hazardous waste disposal.

## Contact Information for Further Support

For any safety inquiries or additional support, please refer to your local regulations and resources.

By following these safety guidelines and instructions, you can ensure a safe and effective reloading experience with the TYPE S BUSHING FULL DIES 6.5MM CREEDMOOR. Always prioritize safety and adhere to best practices in your reloading activities. Thank you for your attention to these important safety measures.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)