

TYPE S BUSHING FULL DIES - 6 XC BUSHING FULL LENGTH TYPE S DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

Full Length resizing while maintaining exact control of the case neck is often desirable in one operation. The Redding Type S Bushing Full Length Sizing Dies accomplish this task with the precision you would expect from Redding. Uses the same interchangeable bushings as those used in Redding bushing style neck sizing dies. The adjustable decapping rod allows you to adjust the bushing position, sizing only part of the neck length when desired. Concentricity is enhanced by the ability of the bushing to self-center on the neck of the cartridge case. All Type S dies are supplied with both the standard size button and a decapping pin retainer. By removing the bushing and all internal parts, the Type S Bushing Full Die may also be used as a body die.



Attributes

- Name: [6 XC BUSHING FULL LENGTH TYPE S DIE](#)
- Manufacturer: [REDDING](#)
- Product no.: 749011212
- Mfr. No.: 77745
- Cartridge: 6 mm XC
- Die Style: Full Length Sizing Dies
- Delivery weight: 0.272kg
- Shipping height: 43mm
- Shipping width: 112mm
- Shipping length: 152mm
- UPC: 611760777455

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TYPE S BUSHING FULL DIES 6 XC BUSHING FULL LENGTH TYPE S DIE
- About Us

Safety Instruction Guide for TYPE S BUSHING FULL DIES 6 XC BUSHING FULL LENGTH TYPE S DIE

Introduction

Thank you for choosing the TYPE S BUSHING FULL DIES 6 XC BUSHING FULL LENGTH TYPE S DIE by Redding. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that you are familiar with the equipment and processes involved in reloading ammunition before using this product.
- Always wear appropriate safety gear, including safety glasses and gloves, when handling reloading equipment and components.
- Keep the workspace clean and organized to prevent accidents and ensure efficient operation.
- Store all reloading components, including dies, in a dry and secure location away from children and pets.
- Regularly inspect the die and all associated equipment for wear or damage before each use.
- Follow all local laws and regulations regarding the reloading of ammunition.

Specific Safety Precautions for Use

- Use the die only for its intended purpose: resizing cartridge cases.
- Do not exceed the recommended pressure limits for the cartridges being resized.
- Avoid using excessive force when operating the die, as this may cause damage or injury.
- Ensure that the bushing is properly installed and adjusted before use to maintain concentricity and achieve the desired results.
- Do not modify the die or its components in any way, as this may compromise safety and performance.
- Be aware of the potential hazards associated with reloading, including the handling of gunpowder and primers.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and components for reloading, including the TYPE S BUSHING FULL DIE, reloading press, cartridge cases, and bushings.
- Ensure that the workspace is clean and free of any obstructions.

2. Installation:

- Securely attach the TYPE S BUSHING FULL DIE to the reloading press according to the manufacturer's instructions.
- Select the appropriate bushing for the cartridge case being resized and install it into the die.
- Adjust the decapping rod to the desired position, ensuring it is securely fastened.

3. Usage:

- Insert the cartridge case into the die and operate the reloading press to resize the case.
- Monitor the operation closely to ensure that the bushing is selfcentering on the neck of the cartridge case.

- If resizing only part of the neck length is desired, adjust the bushing position accordingly.
- After resizing, inspect the cartridge case for proper dimensions and concentricity.

4. PostUsage:

- Remove the cartridge case from the die and clean the die and press to prevent residue buildup.
- Store the TYPE S BUSHING FULL DIE and components in a safe location.

Disposal Instructions

- Dispose of any damaged or worn components in accordance with local regulations regarding hazardous waste.
- Do not dispose of reloading components in regular household waste. Instead, check for local recycling programs or hazardous waste disposal facilities.

Contact Information for Further Support

For any inquiries or assistance regarding the TYPE S BUSHING FULL DIES 6 XC BUSHING FULL LENGTH TYPE S DIE, please refer to the manufacturer's contact details provided with the product or on their official website.

By following these safety instructions and guidelines, you can ensure a safe and effective experience while using the TYPE S BUSHING FULL DIES 6 XC BUSHING FULL LENGTH TYPE S DIE. Always prioritize safety and adhere to best practices in reloading. Thank you for your attention to these important safety measures.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at