

# PRIMER POCKET REAMERS - LYMAN PRIMER POCKET REAMER LARGE

[Reloading](#) > [Case Preparation](#) > [Primer Pocket Tools](#) > [Reamers & Swagers](#)

This fine selection of hand tools from Lyman performs the three most important steps in achieving a clean, uniform primer pocket and flash hole in preparation for seating a new primer. Each tool features an unbreakable, comfortable, cushioned, ergonomic polyurethane handle. Primer Pocket Reamer cleans up any burrs left on the edges of the pocket after removing the spent primer. Strong enough to remove a military primer crimp with a few simple twists.



## Attributes

- Name: [LYMAN PRIMER POCKET REAMER LARGE](#)
- Manufacturer: [LYMAN](#)
- Product no.: 749013134
- Mfr. No.: 7777785
- Size: Large
- Delivery weight: 0.068kg
- Shipping height: 33mm
- Shipping width: 41mm
- Shipping length: 165mm
- UPC: 011516777850

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for PRIMER POCKET REAMER LARGE
- About Us

# Safety Instruction Guide for PRIMER POCKET REAMER LARGE

## Introduction

Thank you for choosing the Lyman Primer Pocket Reamer Large. This tool is designed to help you achieve a clean and uniform primer pocket in preparation for seating a new primer. To ensure safe and effective use of this product, please read and follow the safety guidelines outlined in this document.

## General Safety Guidelines

- Always use the tool as intended and according to the instructions provided.
- Keep the tool out of reach of children and vulnerable individuals.
- Inspect the tool before each use for any signs of damage or wear.
- Store the tool in a safe and dry place when not in use.
- Report any unsafe product experiences or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE) such as safety glasses to protect your eyes from debris.
- Ensure that your hands are dry and free from any substances that may cause slipping while using the tool.
- Do not apply excessive force when using the reamer; this could lead to tool damage or personal injury.
- Always work in a welllit area to ensure visibility and accuracy.
- Avoid using the tool on materials other than primer pockets, as this may lead to injury or tool damage.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that you have a clean workspace with adequate lighting.
- Gather any additional tools needed for your reloading process.

### 2. Using the Primer Pocket Reamer:

- Hold the reamer by the cushioned handle to ensure a firm grip.
- Insert the reamer into the primer pocket, ensuring it fits snugly.
- Rotate the reamer gently but firmly to remove any burrs or crimp from the primer pocket.
- After a few twists, remove the reamer and inspect the pocket for cleanliness.
- If necessary, repeat the process until the pocket is clean.

### 3. PostUse Care:

- After using the reamer, clean it with a soft cloth to remove any residue.
- Store the tool in a safe location, away from moisture and direct sunlight.

## Disposal Instructions

- Dispose of the tool according to your local regulations.
- If the tool is damaged or no longer usable, consider recycling it if applicable.
- Do not dispose of the tool in regular household waste.

## **Contact Information for Further Support**

For any questions or concerns regarding the use of the Lyman Primer Pocket Reamer Large, please refer to the manufacturer's contact information available on the product packaging or the official website.

By following these guidelines, you can ensure a safe and effective experience with your Lyman Primer Pocket Reamer Large. Thank you for prioritizing safety while using our product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)