

MATCHKING 375 CALIBER (0.375") RIFLE BULLETS - SIERRA BULLETS, INC. 375 CALIBER (0.375") 350GR HOLLOW POINT BOAT TAIL 50/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

For serious rifle competition, you'll be in championship company with MatchKing® bullets. The hollow point boat tail design provides that extra margin of ballistic performance match shooters need to fire at long ranges under adverse conditions.



Attributes

- Name: [SIERRA BULLETS, INC. 375 CALIBER \(0.375"\) 350GR HOLLOW POINT BOAT TAIL 50/BOX](#)
- Manufacturer: [SIERRA BULLETS, INC.](#)
- Product no.: 749013597
- Mfr. No.: 9350T
- Ballistic Coefficient (G1): 0.805
- Brand Style: MatchKing
- Bullet Style: Hollow Point Boat Tail (HPBT)
- Caliber: 375 Caliber
- Diameter (Breech): 0.375
- Diameter (in): 0.375
- Grain: 350
- Sectional Density: 0.355
- Quantity: 50
- Delivery weight: 1.17kg
- UPC: 092763393505

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- Startpage
- Safety Instruction Guide for MATCHKING 375 CALIBER (0.375") RIFLE BULLETS
- About Us

Safety Instruction Guide for MATCHKING 375 CALIBER (0.375") RIFLE BULLETS

Introduction

Thank you for choosing MATCHKING 375 CALIBER (0.375") RIFLE BULLETS by SIERRA BULLETS, INC. This guide provides important safety instructions to ensure the safe use of the product. Please read this document carefully before using the bullets.

General Safety Guidelines

- Ensure that all users are familiar with the safe handling and use of firearms and ammunition.
- Store bullets in a cool, dry place, away from direct sunlight and moisture.
- Keep bullets out of reach of children and unauthorized persons.
- Always follow local laws and regulations regarding the use and storage of ammunition.
- Inspect bullets for any damage before use; do not use damaged ammunition.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only in firearms that are specifically chambered for .375 caliber ammunition.
- Wear appropriate eye and ear protection when handling and firing firearms.
- Do not exceed the recommended load specifications for your firearm.
- Avoid using bullets that show signs of corrosion or other deterioration.
- Be aware of your surroundings and ensure a safe shooting environment.
- Follow the manufacturer's guidelines for loading and firing ammunition.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Gather all necessary equipment, including eye and ear protection.

2. Loading the Bullets:

- Carefully follow the loading instructions specific to your firearm.
- Ensure that the bullet is seated properly in the cartridge case.

3. Firing the Bullets:

- Always check your target and beyond before firing.
- Maintain a firm grip on the firearm and keep your finger off the trigger until ready to shoot.
- Fire in a controlled manner, being aware of recoil and muzzle rise.

4. PostFiring:

- After firing, ensure the firearm is cleared and unloaded.
- Inspect the firearm and bullets for any signs of malfunction or damage.

Disposal Instructions

- Dispose of any unused or damaged bullets in accordance with local regulations.

- Do not throw bullets in regular trash; consult local authorities for proper disposal methods.
- Ensure that all spent cartridges are disposed of safely and responsibly.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of your MATCHKING 375 CALIBER (0.375") RIFLE BULLETS, please refer to the manufacturer's contact information provided on the packaging or the official website.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MATCHKING 375 CALIBER (0.375") RIFLE BULLETS. Thank you for your attention to these important safety guidelines.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu