

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 6X284 WINCHESTER TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 6X284 WINCHESTER TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 749014421
- Mfr. No.: TC6284
- Cartridge: 6 mm - 284 Winchester
- Delivery weight: 0.113kg
- Shipping height: 13mm
- Shipping width: 76mm
- Shipping length: 76mm

Item details

Made in USA

Table of Contents

- Startpage
- WFT 2 Trimmer Safety Instructions
- About Us

WFT 2 Trimmer Safety Instructions

Introduction

Thank you for choosing the WFT 2 Trimmer from Little Crow Gunworks. This product is designed for trimming cases efficiently and safely. Please read this safety instruction guide carefully to ensure proper use and to minimize any risks associated with the product.

General Safety Guidelines

- Ensure that the WFT 2 Trimmer is used only for its intended purpose, which is trimming cartridge cases.
- Always follow the manufacturer's instructions for use and maintenance.
- Keep the trimmer out of reach of children and vulnerable individuals.
- Inspect the trimmer and its components for damage before each use. Do not use if any part is damaged or worn.
- Avoid using the trimmer in wet or damp conditions to prevent electrical hazards.
- Use personal protective equipment (PPE) such as safety glasses and gloves when operating the trimmer.
- Be aware of your surroundings and ensure that your workspace is clean and free of obstructions.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the trimmer is securely attached to a compatible power source before use.
- Do not attempt to modify or alter the trimmer in any way, as this may lead to unsafe conditions.
- Use only the recommended trim chambers for your specific cartridge to avoid malfunction.
- Always disconnect the power source before changing trim chambers or performing maintenance.
- Do not operate the trimmer while under the influence of alcohol, drugs, or any substances that may impair your judgment.
- Keep hands and clothing clear of moving parts during operation to avoid injury.
- If you experience any difficulties during operation, stop using the trimmer immediately and consult the manual or seek assistance.

Instructions for Installation and Usage

1. Installation of Trim Chamber:

- Place the trimmer on a flat, stable surface.
- Remove the cutter by unscrewing it from the housing.
- Position the trim chamber on the same flat surface.
- Align the housing with the trim chamber and steadily push it onto the chamber until it fits securely.

2. Setting Cutter Depth:

- Insert a “master case” into the trim chamber.
- Slide the cutter up to the case mouth.
- Tighten the set screws to secure the cutter in place.

3. Trimming Process:

- Ensure that the trimmer is connected to a power source.
- Place the cartridge case into the trim chamber.
- Activate the trimmer and allow it to perform the trimming operation.
- Once completed, carefully remove the trimmed case.

4. Changing Trim Chambers:

- Disconnect the power source.
- Remove the cutter from the housing.
- Use the provided knockout dowel to push out the trim chamber.
- Follow the installation steps to insert a new trim chamber.

Disposal Instructions

- Dispose of the WFT 2 Trimmer and its components in accordance with local regulations.
- Do not dispose of electrical components with regular household waste.
- Contact your local waste management authority for information on proper disposal methods for electronic devices.

Contact Information for Further Support

For any questions or concerns regarding the WFT 2 Trimmer, please reach out to the manufacturer or authorized dealers for assistance.

By following these safety instructions, you can ensure a safer experience while using the WFT 2 Trimmer. Always prioritize safety and seek help if you are unsure about any aspect of the product's use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk