

WFT 2 TRIMMER - LITTLE CROW GUNWORKS. 308 WINCHESTER TRIM CHAMBER

[Reloading](#) > [Case Preparation](#) > [Case Trimming](#) > [Case Trimmers](#)

The WFT 2 is the next generation of WFT trimmers. The two main improvements are the ability to trim up to 45 caliber and interchange trim chambers. The WFT 2 has a half inch shaft and requires a half inch chuck to drive it. The feature most customers asked for was the ability to interchange trim chambers. Instead of press fitting the trim chambers, like the original WFT, the trim chambers on the WFT 2 are a slight slip fit in bearing with a groove cut for an O-ring which creates a press fit. Changing out trim chambers is accomplished by removing the cutter and pushing out the trim chamber with the knock-out dowel that is provided. Installing the trim chamber is accomplished by setting the trim chamber on a flat surface and steadily pushing the housing onto the trim chamber. Setting the cutter depth is easily adjusted by placing a "master case" in the trim chamber and sliding the cutter up to the case mouth and tightening down the set screws. Trimming is just as precise and clean as with our original trimmer. The trim chamber selection on the WFT 2 is by specific cartridge, but still trims by case family-just order the largest chamber in the family that you intend to trim. This unit and its inserts do not chamfer or deburr the case mouth of the cartridge case as it is trimmed. If you can't find the cartridge you need, please contact our Special Order Department at 800-741-0015



Attributes

- Name: [LITTLE CROW GUNWORKS. 308 WINCHESTER TRIM CHAMBER](#)
- Manufacturer: [LITTLE CROW GUNWORKS.](#)
- Product no.: 749014443
- Mfr. No.: LCG-WFT2-308 WI
- Cartridge: 308 Winchester
- Delivery weight: 0.113kg
- Shipping height: 4mm
- Shipping width: 51mm
- Shipping length: 102mm

Item details

Made in USA

Table of Contents

- Startpage
- WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide
- About Us

WFT 2 Trimmer Little Crow Gunworks Safety Instruction Guide

Introduction

Thank you for choosing the WFT 2 Trimmer by Little Crow Gunworks. This guide provides essential safety instructions and usage guidelines to ensure your experience with the product is safe and effective. Please read this manual carefully before using the trimmer.

General Safety Guidelines

- Ensure that the trimmer is used only for its intended purpose, which is trimming cartridge cases.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves while operating the trimmer.
- Keep the work area clean and welllit to prevent accidents.
- Ensure that all tools and accessories are in good condition before use.
- Do not use the trimmer if it is damaged or malfunctioning.
- Store the trimmer and its components in a secure place, out of reach of children and pets.
- Follow all local regulations regarding the handling of ammunition components.

Specific Safety Precautions for Use

- Always ensure that the trimmer is securely mounted in a stable position before use.
- Do not attempt to modify or alter the trimmer in any way.
- Be cautious of sharp edges on the cutter and trim chambers; handle with care.
- Do not attempt to trim cases that exceed the specifications of the trimmer (up to 45 caliber).
- Avoid wearing loose clothing or jewelry that may become caught in the trimmer.
- If you experience any discomfort or abnormal noise during operation, stop using the trimmer immediately and inspect it for issues.

Instructions for Installation and Usage

Installation

1. Ensure that you have a halfinch chuck to drive the trimmer.
2. Place the trimmer on a flat, stable surface.
3. Attach the trimmer to the chuck securely, ensuring it is properly seated.
4. Verify that the cutter is properly installed before beginning to use the trimmer.

Usage

1. Select the appropriate trim chamber based on the cartridge you are trimming. If unsure, refer to the cartridge compatibility list.
2. Insert the cartridge case into the trim chamber.
3. Adjust the cutter depth by placing a "master case" in the trim chamber, sliding the cutter up to the case mouth, and tightening the set screws.
4. Turn on the chuck to begin trimming the cartridge case.
5. Once trimming is complete, turn off the chuck and remove the trimmed case.
6. For changing trim chambers, remove the cutter and use the provided knockout dowel to push out the trim chamber. Install the new trim chamber by aligning it on a flat surface and pushing the housing onto it.

Disposal Instructions

- Dispose of any damaged or worn parts in accordance with local regulations.
- Do not dispose of the trimmer or its components in general household waste.
- Contact local waste management authorities for proper disposal methods of metal and plastic components.

Contact Information for Further Support

For any questions or concerns regarding the WFT 2 Trimmer, please refer to the manufacturer's website or consult with a qualified professional.

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your WFT 2 Trimmer. Always prioritize safety and proper handling when using this product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk